



INVEST IN THE FUTURE

COLLISION REPAIR



SPOT WELDING - DENT PULLING - MIG-MAG/GMAW-FCAW - PLASMA CUTTING
INDUCTION - RIVETING - LIFTING - BODYSHOP TOOLS

2026

A solid manufacturing group

900 people

C1+
Credit Rating
Banque de France

€ 140 000 000

55 000 m²
2 factories



FRENCH MANUFACTURER
SINCE 1964

A family company



Nicolas & Bruno
Bouygues



Global coverage
125 countries

5 catalogues
3 500+ references




MMA/SMAW
TIG/GTAW
MIG-MAG/
GMAW-FCAW
Plasma cutting
Stud welding
Spot welding
Accessories
Protection
Consumables



Spot welding
Dent pulling
MIG-MAG/
GMAW-FCAW
Plasma cutting
Induction heating
Riveting
Lifting
Bodyshop tools



Chargers
Battery support units
Boosters
Starters
Testers
Portable energy
Jumper cables
EV charging
Accessories



Releasing
Straightening
Shrink-fitting
Bending
Brazing
Quenching
Annealing



MMA/SMAW
TIG/GTAW
MIG-MAG/
GMAW-FCAW
Plasma cutting
Charge



GYS FRANCE - HEADQUARTERS
Laval

**GYS LOGISTIC
CENTER**
Laval



GYS GERMANY
Aachen



GYS U.K.
Rugby



GYS CHINA
Shanghai



GYS ITALIA
Venezia



GYS IBERICA
Madrid

Table of contents

DENT PULLING 5 > 35

GLUE PULLING REPAIR & PDR 36 > 39

PULLING SYSTEMS 40 > 51

RESISTANCE SPOT WELDING 52 > 69

RIVETING 70 > 81

MIG/MAG WELDING 82 > 93

PLASMA CUTTING 94 > 97

INDUCTION HEATING 98 > 105

TRUCK TOOLS & MOBILE LIFTS 106 > 112


ACCESSORIES 113 > 139



MANUFACTURER
SINCE 1964

★★★★★ **THEY TRUST US** ★★★★★

ILS NOUS FONT CONFIANCE



DENT PULLING

STEEL / ACIER / STAHL

GYS POT	6
GYS POT PRO • EXPERT	7

ALU

GYS POT ALUMINIUM	8
-------------------	---

ALUMINIUM + STEEL / ACIER / STAHL

GYS POT COMBI	9
ACCESSORIES & CONSUMABLES	10

DRAWN ARC ALUMINIUM + STEEL / ACIER / STAHL

GYS POT ARCPULL	12
GYS POT COMBI ARCPULL	13
ACCESSORIES & CONSUMABLES	16

FAST DENT PULLING	18
LEVELLING BARS	20

COMPLETE WORKSTATIONS	24
GLUE PULLING REPAIR	36





GYSPOT

DENT PULLING STEEL ACIER - STAHL

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux - Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten

OPTIONS

Consommables - Consumables p.10

Chariots - Trolleys p.24

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux - Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten

- Tempering - Rétreinte - Temperieren



FIXED GUN



FIXED GUN

GYSPOT 26.02

2600 A x1 AUTOMATIC

230V • 1~

052208

included



Automatic quick gun, 1.8 m, 70 mm²
+ Hammer (057272)



Earth cable 1.7 m, 50 mm² Electrode warming point Star copper coating (x3)

GYSPOT 27.02

2600 A x1 MANUAL

230V • 1~

055353

included



Manual quick gun, 1.8 m, 70 mm² (058705)
+ Hammer (057272)



Earth cable 1.7 m, 50 mm² Electrode warming point Star copper coating (x3)

GYSPOT 34.02 & 34.04

3500 A x1 MANUAL

230V • 1~

GYSPOT 34.02

065741

400V • 2~

GYSPOT 34.04

067943

included



Manual quick gun, 2 m, 50 mm²
+ Hammer (057272)



Earth cable 1.7 m, 50 mm² Electrode warming point Star copper coating (x3)

QUICK GUNS

Quick & Easy



AUTOMATIC



WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/401
059207



MANUAL



No connector
cable 1.8 m, Ø 70 mm²
for 27.02
058705

WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400,
EXPERT 200/230/401,
COMBI 230EPRO
057524

No connector
cable 2 m, Ø 50 mm²
for 34.02/34.04


Mandrels for gun -
Mandrins pour pistolets
- Pistole & Anschlußstücke,
Zubehör




QUICK GUN
057531



D1
048959



Nut - Écrou
053199



Microswitch
053267

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux - Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN



GUN WITH CONNECTOR

GYSPOT 39.02 & 39.04

3800 A x1 AUTOMATIC

230V • 1~

GYSPOT 39.02

052215

400V • 2~


GYSPOT 39.04

052222

included



Automatic quick gun, 2 m, 70 mm² (057517)
+ Hammer (057272)



Earth cable 2 m, 70 mm²

SPOTTER BOX STANDARD (053915)
(Details p.10)

GYSPOT PRO 230 & PRO 400

3800 A x2 AUTOMATIC
MANUAL

230V • 1~

GYSPOT PRO 230

052178

400V • 2~


GYSPOT PRO 400

052185

included



Automatic quick gun, 3 m, 50 mm² (057500)
+ Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable 2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.10)

GYSPOT EXPERT 200, 230 & 401

3800-4500 A x2 AUTOMATIC
MANUAL

230V • 1~

GYSPOT EXPERT 230

066885

200-240V • 1~

GYSPOT EXPERT 200

058842

4350 > 5100 A

400V • 2~

GYSPOT EXPERT 401

088542

4500 A


included



Automatic quick gun, 3 m, 70 mm² (059207)
+ Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable Thick 3 mm²
2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.10)

	62135	50/60 Hz	I ₂ max	U ₂	I _{AM}	I _{RMS}	kW	OK	OK	MANUAL	SYNERGIC	AUTOMATIC	MANUAL	SEPARATE CABLE GUN	LxWxH cm / kg
MADE IN GYS CHINA	GYSPOT 26.02	230V	2 m	2600	5,4	16	1800	10	OK	—	—	—	—	—	40 x 25 x 31 / 18
	GYSPOT 27.02	230V	2 m	2600	5,4	16	1800	10	OK	—	—	—	—	—	40 x 25 x 31 / 18
	GYSPOT 34.02	230V	2 m	3500	7,4	16	2500	20	OK	OK	—	—	—	—	42 x 36 x 31 / 23.9
	GYSPOT 34.04	400V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	—	—	—	—	42 x 36 x 31 / 24
MADE IN FRANCE	GYSPOT 39.02	230V	4 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	49 x 38 x 29 / 27.5
	GYSPOT 39.04	400V, 2ph	4 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	49 x 38 x 29 / 25.2
	GYSPOT PRO 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	49 x 38 x 29 / 29.6
	GYSPOT PRO 400	400V, 2ph	8 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	49 x 38 x 29 / 29.4
	GYSPOT EXPERT 200	200-240V	8 m	4350 > 5100	7,2-8,7	30(D)	3100 > 3600	25 > 36	OK	OK	—	—	—	—	49 x 38 x 29 / 34.6
	GYSPOT EXPERT 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	49 x 37 x 31 / 30.6
	GYSPOT EXPERT 401	400V, 2ph	8 m	4500	7,4	16(D)	3200	25	OK	OK	—	—	—	—	49 x 38 x 29 / 32.9



GYSPOT ALU

DENT PULLING ALU



AD

ANTI-DUST



SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN


Alu



Goujons - Studs

FV

FLEXIBLE
VOLTAGE



FIXED GUN



GYSPOT ALU 66

13000 A x1 AUTOMATIC

230V • 1~

AD

080188

included for Ø 4 mm



Automatic alu gun
3 m, 25 mm²

+



ALU BOX STANDARD (050020)
(Details p.11)

GYSPOT ALU PRO FV

13000 A x1 AUTOMATIC

110 > 230V • 1~

FV

021990

included for Ø 4 mm



Automatic alu gun
3 m, 25 mm²

+



ALU BOX STANDARD (050020)
(Details p.11)

ALU GUN



PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

AUTOMATIC

3 m, Ø 25 mm²


included SPOT ALU FV
& COMBISPT 230

054066



(x 3)
065635

66 mF CAPACITOR
DISCHARGE
WELDING



Joint rings for mandrel Ø 4/5/6
x 2
060814

OPTIONS

Consumables - Consommables
p.11



ALU accessories - Accessoires ALU
p.19



Trolleys - Chariots
p.24



GYSPOT COMBI

DENT PULLING ALU+STEEL ACIER - STAHL

2 GUNS
INCLUDED



NEW

GUN WITH CONNECTOR

GYSPOT COMBI PRO 230

+ 3800 A Acier / Steel / Stahl x2 AUTOMATIC
13000 A Alu x2 AUTOMATIC
230V • 1~

087705

included



Manual quick gun, 2 m,
70 mm² (057524)
+ Hammer (057272)

Automatic alu
gun, 3 m, 25 mm²

Earth cable
2 m, 70 mm²

SPOTTER BOX
PRO (050075)
(Details p.10)

ALU BOX STANDARD
(050020)
(Details p.11)

GYSPOT COMBI 230 E.PRO

+ 3800 A Acier / Steel / Stahl x2 AUTOMATIC
13000 A Alu x2 AUTOMATIC
230V • 1~

021266

included



Manual quick gun, 2 m,
70 mm² (057524)
+ Hammer (057272)

Automatic alu
gun, 3 m, 25 mm²

Earth cable
2 m, 70 mm²

SPOTTER BOX
PRO (050075)
(Details p.10)

ALU BOX STANDARD
(050020)
(Details p.11)

	 62135			I ₂ max	U ₂		I _{RMS}	kW				SYNERGIC				AUTOMATIC	MANUAL	SEPARATE CABLE GUN			LxWxH cm / kg
		50/60 Hz		A	V	A	A				MANUAL					x 1	—	—	3 m	Included Alu box	
MADE IN GYS CHINA	GYSPT ALU 66	230 V	6 m	13 000	50 > 200	5	—	0.52	OK	OK	■	■	—	■		x 1	—	—	3 m	Included Alu box	27 x 20.5 x 27 / 13.5
MADE IN GYS FRANCE	GYSPT ALU PRO FV	110 > 230 V	6 m	13 000	50 > 200	5	—	0.65	OK	OK	■	■	—	■		x 1	—	—	3 m	Included Alu box	49 x 38 x 29 / 13.4
MADE IN GYS CHINA	GYSPT COMBI PRO 230	230 V	8 m	3800 (steel) 13000 (alu)	7,4 (steel) 50 > 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■		x 1	x 1	■	2/3 m	Included Spotter box + Alu box	54 x 76 x 34 / 43.8
MADE IN GYS FRANCE	GYSPT COMBI 230 E.PRO	230 V	8 m	3800 (steel) 13000 (alu)	7,4 (steel) 50 > 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■		x 1	x 1	■	2/3 m	Included Spotter box + Alu box	54 x 76 x 34 / 47.5



9

GYSPOT

ALU + STEEL DENT PULLING




GYSPOT ARCPULL

DENT PULLING DRAWN ARC ALU + STEEL

ACIER - STAHL



MANUAL



⌘ Rings - Anneaux - Zugösen
⌘ Studs - Goujons - Gewindebolzen
⌘ Stainless steel nails - Tiges inox
⌘ Edelstahlnägeln

- 1 Start-up - Amorce - Zündung
- 2 Scouring (I & t) - Décapage - Abbeizen
- 3 Arc (I & t) - Arc - Lichtbogen
- 4 Hitching (I & t) - Accroche - Verklebung
- 5 Height - Hauteur - Höhe




7
languages
FR, EN, DE, SP, IT,
NL & RU

SYNERGIC DIGITAL GUNS

★★★★★
**UNIQUE
Linear Motor**

DRAWN ARC PROCESS
Gas protection




3 m, Ø 25 mm²
included
ARCPULL
200 & 350,
COMBI ARCPULL




Full control



FV FLEXIBLE
VOLTAGE



SR SECONDARY
REGULATION



AD ANTI-DUST



MANUAL &
SYNERGIC CONTROL



Ø max
Alu : 6 mm
Fe/SST :
6 mm



GUN WITH CONNECTOR

GYSPOT ARCPULL 200 COLLISION REPAIR

100 · 230 V · 1 ~


200 A x1 MANUAL

FV SR AD

057470

088115 NEW

included



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

+ Lifting rod 180 mm
(x1) 082915

OPTIONS

Weld 810
for ARCPULL 200
037489

details p.24

GYSPOT COMBI ARCPULL

230 V · 1 ~

ARCPULL

200 A

Alu

x1

MANUAL

EXPERT

3800 A

Acier / Steel / Stahl

x1

MANUAL

OPTION : AUTOMATIC

069824

Arccpull accessories included



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

+ Lifting rod 180 mm
(x1) 082915

Expert accessories included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)



SPOTTER BOX PRO (050075)
(Details p.10)

 MADE IN FRANCE	 60974-1			I ₂	SYNERGIC	MANUAL	IRMS (A)			U ₂		kW			
		50/60 Hz		A				Acier/Steel	Alu	V	A		LxWxH cm / kg		
GYSPOT ARCPULL 200 COLLISION REPAIR		110 ÷ 230 V	6 m	10 ÷ 100 (110 V) 10 ÷ 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 ÷ 24 V (110 V) 20.4 ÷ 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL		230 V	8 m	Alu 10 ÷ 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 ÷ 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5



GYS POT ARCPULL

DENT PULLING DRAWN ARC ALU + STEEL ACIER - STAHL



- SYNERGIC: Rings - Anneaux - Zugösen, Studs - Goujons - Gewindebolzen, Stainless steel nails - Tiges inox - Edelstahlnägel
- EXPERT Control: 1 Start-up - Amorce - Zündung, 2 Scouring (l & t) - Décapage - Abbeizen, 3 Arc (l & t) - Arc - Lichtbogen, 4 Hitching (l & t) - Accroche - Verklebung, 5 Height - Hauteur - Höhe



7 languages
FR, EN, DE, SP, IT,
NL & RU



Ø max
Alu/Fe/SST:
8 mm




Ideal
all position

5 or 10 m, Ø 50 mm²
included
✓ ARC PULL 700



SYNERGIC DIGITAL GUNS



FULL CONTROL

3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL



Consumables for Gun

x2
059627

x1
059610

GYS POT ARCPULL 350 COLLISION REPAIR

208 › 240 V • 1 ~

350 A

✂ x1 MANUAL

PFC SR AD

082953

included



OPTIONS

details p.24

Weld 810
for ARCPULL 350
037489



Weld 910
for ARCPULL 700
070967



GYS POT ARCPULL 700 COLLISION REPAIR (5M)

380 › 480 V • 3 ~

680 A

✂ x1 MANUAL

SR IP 23

068315

GYS POT ARCPULL 700 COLLISION REPAIR (10M)

380 › 480 V • 3 ~

680 A

✂ x1 MANUAL

SR IP 23

085503

included



MADE IN FRANCE 60974-1	50/60 Hz	I ₂ A	SYNER- GIC	TECHNOLOGY Acier/Steel Alu	Power Factor Correction	Flexible Voltage	U ₂ V	A	kW	OK	OK	LxWxH cm / kg
GYS POT ARCPULL 350 COLLISION REPAIR	208 › 240 V	6 m	10 › 350	Manual + Digital Gun Motion Control	■	—	20.4 › 34 V	16	11.9	OK	OK	48 x 36 x 30 / 17.4
GYS POT ARCPULL 700 COLLISION REPAIR	3x 400 V 3x 480 V	5 m	50 › 680	Manual + Digital Gun Motion Control	—	—	22 › 44 V	20 A (D) 16 A (D)	47.8 kW 45.7 kW	OK	OK	60 x 43 x 46 / 27.8



15

GYS POT ARCPULL

DRAWN ARC DENT PULLING



GYS POT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



FAST DENT PULLING

STEEL / ACIER / STAHL

EASY TOOL CONNECTION



for GYSPOT 39.02/04, PRO 230/400, EXPERT 230/400, COMBISLOT 230

MANUSPOT = 050679



Tools set and support for DENT 600, 800, 1000, 1600, Workstation & Dentstation




EASYGUN 051317

MANULINER 050471




RINGMATIC 052154




included (x 50)



Option Gun adapter - Adaptateur pistolet 052499



051584 380 g




051669




Manual dent-pulling bar - Poignée de tirage manuel 057289

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652




051676




EASYGUN 051317

Box of 3 electrodes for accessories 050822



051652



051676



EASYGUN 051317

Box of 3 electrodes for accessories 050822

PULLING BARS

3 PRODUCT LINES

1 STANDARD

2 PREMIUM

SLIDE & LOCK

3 PREMIUM PRO

QUICK HOOK

EASY REMOVABLE PULLING SYSTEM


SLIDE & LOCK

STANDARD

Levelling lever
- Levier de débosselage
- Zughebel

050686
↓ 1.6 kg
79 x 12 x 17 cm / 1.9 kg


PATENTS REGISTERED NUMBERS
001652108-0002
EUROPEAN TRADEMARK & DESIGN



Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
↓ 2.5 kg
77 x 12 x 13 cm / 3.2 kg


Licensed by
BETAG.Innovation



Levelling bar
- Barre de débosselage
- Zugbrücke


050693
↓ 3.4 kg
87 x 17 x 19 cm / 4 kg

Licensed by
BETAG.Innovation



Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke


050716
↓ 5.1 kg
87 x 17 x 18 cm / 5.9 kg



PREMIUM


Premium levelling lever
- Levier de débosselage Premium
- Premium Zughebel

059290
↓ 1.6 kg
100 x 16 x 17 cm / 2.2 kg



Premium levelling bar
- Barre de débosselage Premium
- Premium Zugbrücke

059306
↓ 2.8 kg
79 x 30 x 13 cm / 3.2 kg



SLIDE & LOCK

Removable system : pads and pulling systems
Système amovible : patins et chariots de tirage

FEET



LIGHTWEIGHT

Léger



GRIP 360

360° pads with grip
Patins à frein orientables à 360°





X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres

OPTIONS

Reinforced bar 1200 mm - Barre renforcée



Fixing screw
058439

Double pads support
- Support double patin
- Doppelfüße
050723



STANDARD
PREMIUM



1 tooth hook
Ø M10 / M14
082021



3 teeth hook
PREMIUM
Ø M10 / M14
059658



4 tooth claw
Ø M10 / M14
049758


PREMIUM (LONG FEET NEEDED)



6 tooth claw
Ø M10 / M14
049734




8 tooth claw
Ø M10 / M14
049741



Single foot
- Pied simple
- Fuß

061293



Double foot levelling bar
- Pied double patin
- Doppelfuß

059375




072688



OPTIONS

QUICK HOOK



SLIDE & LOCK



EASY REMOVABLE PULLING SYSTEM



MULTIPLE PULLING SYSTEM



X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres



GRIP 360

GRIP 360+




STRENGTHENED (DOUBLE) BAR

Improved mechanical resistance
Résistance mécanique renforcée



Premium Pro Levelling lever
- Levier de débosselage Premium Pro
- Premium Pro Zughebel


072619
↳ 1.6 kg
⊗ 87 x 17 x 18 cm / 2.3 kg



Premium Pro Levelling bar 900mm / Single feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

071643
⊗ 120 x 26 x 8 cm / 4.4 kg
↳ 3.8 kg


Old design



Premium Pro Scissoring bar 900mm
- Barre de tirage Premium Pro 900 mm
- Premium Pro Scherenzugbrücke 900 mm

072305
⊗ 103 x 30 x 13 cm / 5.2 kg
↳ 4.5 kg

Old design



Premium Pro Scissoring bar 1150 mm
- Barre de tirage Premium Pro 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm


072626
⊗ 124 x 7 x 7 cm / 3.1 kg



OPTIONS



8 tooth claw
PULLING CHAIN
080546



071650
⊗ 51 x 21 x 11 cm / 0.9 kg



072633
⊗ 79 x 61 x 11 cm / 5.2 kg



072312
⊗ 51 x 21 x 11 cm / 1.6 kg



Double foot for Premium Pro levelling bar
- Pied double patin pour bar Premium Pro



Single foot for Premium Pro levelling bar
- Pied simple pour bar Premium Pro



Old design

Single foot
- Pied simple - Fuß
x2 061293



Double foot levelling bar
- Pied double patin - Doppelfuß
x2 059375





DENT PULLING WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility

SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓


Dent 600

44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831




Dent 1000

44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848




Universal 800

60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331




Weld 810

77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489




Weld 910

89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967




Dent 1600

70 x 69 x 161 cm / 35,8 kg
103 x 66 x 22 cm / 38,7 kg
072596



Dent 1600 WD

71 x 70 x 161 cm / 49,5 kg
103 x 66 x 22 cm / 52,4 kg
072169



Dentstation Pro WD

90 x 71 x 161 cm / 65 kg
120 x 80 x 28 cm / 68,5 kg
072800



Workstation 5D

90 x 71 x 161 cm / 65 kg
120 x 80 x 28 cm / 68,5 kg
089259



NEW



4 m³ support
+ Arcpull gun support
for Dent 1600 / 1600 WD
& Dentstation Pro WD
059665




Cable support for
Spot 800, 1600
& Dentstation Pro WD
052284



Protection cover
- Housse de protection
- Schutzhaube
for Universal 800
062733
for Spot 1600 & Dent 1600
048881
for Dentstation Pro
059870

Storage accessories
- Set de fixation
for Proliner, Speedliner, Gysliner
051362



Fixing flanges for generator
- Brides de fixation pour
générateur



062146

EASYLINER

ALL IN
1 BOX



EASYLINER 39.02

EASYLINER PRO 230

PROLINER



PROLINER 39.02

PROLINER 39.04

PROLINER PRO 230

PROLINER PRO 400



PROLINER ALU 66

PROLINER ALU PRO FV

PROLINER ARCPULL 200

STEEL / ACIER / STAHL



GYSLOT
(guns & consumables included)

39.02

053618
058521

PRO 230

072398

ALL IN
1 BOX

INCLUDED ACCESSORIES



DENT 1000

072848



Dent box easy

053632



Levelling bar double action

053564

STEEL / ACIER / STAHL



GYSLOT
(guns & consumables included)

39.02

035775

PRO 230

035799

39.04

035782

PRO 400

035805

INCLUDED ACCESSORIES



UNIVERSAL 800

051331

+ Cable support

052284



Dent box easy

050037



Levelling bar double action

053564

ALU



ALU 66

087774

ALU PRO FV

035836

ARCPULL 200

065260



UNIVERSAL 800

+ Cable support

051331

052284



UNIVERSAL 800

+ Cable support

051331

052284



Weld 810

+ Cable support

037489

052284



Alu puller

051003



Alu puller

051003



Arc puller premium


065161

SPEEDLINER STANDARD



PRO 230, 400 EXPERT 200, 230, 401 COMBI 230 E.PRO ARCPULL 200 + PRO 230, 400 ARCPULL 200 + EXPERT 200, 230, 401 ALU PRO FV

COMPLETE
SYSTEM



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)





GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

PRO 230 074446	EXPERT 200 074460	COMBI 230 E PRO 074491	ARCPULL 200 + PRO 230 074507	ARCPULL 200 + EXPERT 200 074521
PRO 400 074453	EXPERT 230 074477	COMBI PRO 230 091405	ARCPULL 200 + PRO 400 074514	ARCPULL 200 + EXPERT 230 074538
	EXPERT 401 074484			ARCPULL 200 + EXPERT 401 074545

INCLUDED ACCESSORIES



ALU



GYSPOT
(guns & consumables included)

ALU 66 087781	ALU PRO FV 074552
------------------	----------------------

INCLUDED ACCESSORIES



Steel Speedliner without generator (excluded Ringmatic) : 035058

SPEEDLINER PREMIUM

★★★★
COMPLETE
SYSTEM



PRO 230, 400



EXPERT 200, 230, 401



COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 401



ARCPULL 200, 350

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



COMBI 230 E.PRO
(guns & consumables included)



ARCPULL 200
+ PRO 230
(guns & consumables included)

ALU



ARCPULL 200
(guns & consumables included)

PRO 230 073883	EXPERT 200 073906	COMBI 230 E PRO 073968	COMBI ARCPULL 074569	ARCPULL 200 + PRO 230 073975	ARCPULL 200 + EXPERT 200 073913	ARCPULL 200 073999	ARCPULL 350 083042
PRO 400 073890	EXPERT 230 073920	COMBI PRO 230 091399		ARCPULL 200 + PRO 400 073982	ARCPULL 200 + EXPERT 230 073937	077317 (without HOT AIR GUN)	
	EXPERT 401 073944				ARCPULL 200 + EXPERT 401 073951		

INCLUDED ACCESSORIES



DENT 1600 WD
072169



Cable support
052284



Premium levelling bar 720 mm
059306



Hook head
049758
+ 059658
+ 082021




Premium levelling lever
059290



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515 + 3
lifting rods 050792



Manual pulling handle
057289
Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003
+ Cable support
052284



Arc puller premium
065161



Cable support
4 m² support
059665



DENT 1600 WD
072169
Cable support
052284



Alu Ring Box 1 mm
059412
Premium 1-tooth hook
082021



Arc puller premium
065161



Premium levelling
bar 720 mm
059306



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Set of pencil punches
with 6 teflon tips
052888



3 lifting rods
050792



Stainless
steel brush
044258



4 m² support
059665

SPEEDLINER PREMIUM PRO



PRO 230, 400



EXPERT 200, 401
+ ARCPULL 200, 350



COMBI ARCPULL



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

ALU



GYSPOT
(guns & consumables included)

EXPERT 230	EXPERT 401	EXPERT 401 + ARCPULL 200	EXPERT 401 + ARCPULL 350	COMBI ARCPULL	ARCPULL 200	ARCPULL 350
080201	080218	080232	083028	080225	080256	083035
		EXPERT 200 + ARCPULL 200 080553				

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Premium Pro levelling bar 900 mm
071643



Premium Pro levelling bar
072619



Ringmatic
052154




Manuspot
050679



Premium Pro teeth hook
082038 + 072671 + 072640



Manual pulling handle
057289



3 lifting rods
050792
Dent box consumables
051515



Magnetic earth
049666



Cable support
052284
4 m support
059665
Arc Puller Premium Pro
072572

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Alu Ring Box 1 mm



082038



4 m support
059665



Premium Pro levelling bar 900 mm
071643



Set of pencil punches with 6
teflon tips
052888



Arc Puller Premium Pro
072572



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Stainless steel brush
044258




3 lifting rods
050792

DENTSTATION STANDARD



39.02, 39.04 PRO 230, 400 EXPERT 200, 230, 401 COMBI 230 E.PRO ARCPULL 200 + PRO 230, 400 ARCPULL 200 + EXPERT 200, 230, 401



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200	COMBI 230 E PRO	ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078161	078208	078321	078529	078222	078338
39.04	PRO 400	EXPERT 230	COMBI PRO 230 NEW	ARCPULL 200 + PRO 400	ARCPULL 200 + EXPERT 230
078185	078260	078369	091382	078284	078383
		EXPERT 401 078444			ARCPULL 200 + EXPERT 401 078468

INCLUDED ACCESSORIES

x6 x2



Dentstation Pro WD
072800
Fixing kit
051362



Double pads
050723



Levelling bar 850 mm
050693

Scissoring bar
050716



Multihook heads
049758
+049734
+049741



Levelling lever
050686




Strengthened bar 1200 mm
051171
Extensions (x2)
052451



Magnetic earth
049666



Manuspot
050679



Dent box consumables
051515
3 lifting rods
050792
Empty box
320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings
(x5)
058712
+ Alu puller
051003



Cable support
052284



Arc puller premium
065161



Cable support
052284
+ 4 m² support
059665
+ Flanges (x 2)
062146

DENTSTATION PREMIUM PRO



EXPERT 230, 401



COMBI ARCPULL



EXPERT 401
+ ARCPULL 200, 350



ARCPULL 200, 350



STEEL / ACIER / STAHL



1 BOX GYSPT (guns & consumables included)

EXPERT 230

080133

EXPERT 401

080140

ALU + STEEL / ACIER / STAHL



1 BOX GYSPT (guns & consumables included)

1 BOX GYSPT (guns & consumables included)

COMBI ARCPULL

080157

EXPERT 401 +
ARCPULL 200

080164

EXPERT 401 + ARCPULL 350

083004

089273

ALU



1 BOX GYSPT (guns & consumables included)

ARCPULL 200

080461

ARCPULL 350

083011

INCLUDED ACCESSORIES





1 BOX Dentstation Pro WD 072800



1 BOX Workstation 5D 089259

INCLUDED ACCESSORIES






GYSDUCTION AUTO + Dent pulling inductor = GYSDUCTION AUTO DENT REPAIR
054776 054981




			Freq.	INTEGRATED TECHNOLOGY			Cable (m)			
50 Hz	A	W	kHz	PFC	FV	Liquid Cooling		Inductor	LxWxH cm / kg	LxWxH cm / kg
230 V, 1~	16	2400	35+120	■	■	—	2	2.5	52 x 30 x 37 / 9.4	37 x 21 x 37 / 7.5




PAINTLESS DENT REPAIR LAMP



DENT REMOVAL FLEXIBLE PANEL
- Plaque flexible pour inspection de la carrosserie - Ausbeul Matrix




GLUE PULLER PRO (Acier/Alu • Steel/Alu)



DENT PULLING KIT (PAINTLESS)

051959



SET OF 6 PENCIL PUNCHES

- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen

052888



PNEUMATIC INERTIA HAMMER

- Marteau inertie pneumatique - Unterdruck-Schlaghammer

051904



PUMP AIR SUCTION SLIDE HAMMER

- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer

1,1 kg

048683



AIR CUSHION KIT

- Kit coussins gonflables - Luftpolster-Spreizkissen-Satz

051942



GLUE GUN 400W - Pistolet à colle chaude 400W



37

PAINTLESS DENT REPAIR

DENT PULLING

Download
the page
with prices



GPR: Glue Pulling Repair
- Débosselage par colle
- Lackschadenfreies Ausbeulen

GLUE PULLING REPAIR

GYS GLUE PULLING REPAIR KITS



111 pcs



085770



6 rectangular red end tabs
- 6 embouts rectangulaires rouges
085312



10 flat pink end tabs
- 10 embouts plats roses
085329




4 green domed end tabs
- 4 embouts verts bombés
085398



12 black multiform tabs
- 12 embouts multiformes noirs
085978




2 blue bars with 4 plastic rings
- 2 barres bleues avec 4 anneaux plastiques
085251



3 tabs with 14 plastic rings kit
- Kit 3 languettes avec 14 anneaux plastiques
085282



4 blue pull bars with metal rail
- 4 barettes de tirage bleues avec rail métal
085299



10 blue multiform pulling bars
- 10 barrettes de tirage multiformes
085305



Tapping hammer
- Marteau à frapper
085411



Dent removal aluminium pen
- Outils de débosselage stylo en aluminium
085404



Dent removal clamp - Pince de débosselage
085435



400 W hot glue gun
- Pistolet à colle chaude 400 W



Inertia hammer 200 g
- Marteau à inertie 200 g
085459



Pulling handle -
Poignée de tirage
085442



Plastic wedge
- Cale plastique



Spray bottle 600 ml
- Vaporisateur 600 ml



20 glue sticks
- 20 bâtons de colle
085183 (x10)

EUROPE

085466



Isopropyl alcohol
99.9% - Alcool
isopropylique 99,9%
1 L

EUROPE

087842



Isopropyl alcohol
99.9% - Alcool
isopropylique 99,9%
1 L

GYSMART GPR WORKSTATIONS

087859



GYS GPR KIT
085770

111 pcs



Heat gun
- Décapeur thermique
066311



Dent repair lamp
- Lampe de débosselage
083936



Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



Workstation Premium - Servante Premium
076143



30 glue sticks
- 30 bâtons de colle
085183 (x10)



Infrared thermometer
- Thermomètre infrarouge
079922



Alu hammers - Marteaux alu
020986



Arc Puller Premium Pro
072572

Alu 3
065161

Alu 4
065185



Steel
079830



4 tooth claw
- Griffes 4 dents
049758



Leveling bar - Barre de débosselage
050693



39

GLUE PULLING REPAIR

DENT PULLING

Download the page with prices




Isopropyl alcohol 99.9%
+ spray - Alcool isopropylique
99,9% + vaporisateur
082236



1 L 600 ml

Glue sticks - Bâtons de colle



x 10
085183

Gas hot air gun - Pistolet à air chaud autonome à gaz
060777



Gas included -
Bouteille incluse

Blow torch - Lampe à souder
052741



Gas not included -
Bouteille non incluse

Novacet + Butane/Propane/Propylène
040441



380 ml (220 g)

Set of 6 pencil punches - Kit de 6 coins de frappe
052888



(p. 36)

3 plastic wedges - 3 cales plastiques
051294




Pulling hand 3 claws - Poignée de tirage 3 dents
057326



(p. 37)

Slide hammer 500g - Marteau à inertie 500g
057906



(p. 37)

Glue Lifter
057364



included
061392

(p. 37)

Arc Puller Premium
065161




included
065161

included
065185

(p. 19)

Premium Pro Levelling bar
900 mm
071643



(p. 23)


Airfix Draw Aligner
077379



(p. 41)



Kit 2 clamps for lateral tension
Kit 2 pinces écarteur réglables
600/910mm
270 kg max
091467



NEW
04/2026

910

600



PULLING SYSTEMS

AIRFIX DRAW ALIGNER	41
DRAW ALIGNER	42
EASYBENCH	45
FRAME STRAIGHTENING	48



DRAW ALIGNER




Designed for

- ★ TIME SAVING
- ★ DURABILITY
- ★ MAXIMUM GRIP

4 pads :
**Seal protection,
Perfect stability**

4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità



Seal - Joint
- Rahmen
- Guarnizione

4 pads
4 patins
4 piedi



Quick & easy set up





Compact
& light
31 kg

No tools

Ground anchor by suction

Fast installation

Ancrage au sol par aspiration :
installation rapide
Verankerung durch Vakuumbildung –
schnell einsatzfähig
Ancoraggio a terra: installazione rapida



Integrated
silencer

**Low
noise**

Smart maintenance



No glue



No tools



Pads - Patins
(x2)
069008




Plate seal
- Joint de plaque
079571

AIRFIX DRAW ALIGNER

Air 5-8 bars

077379

080669



PACK Airfix Draw
Aligner + GYS
Electro-Force
091825



Airfix Draw Aligner
077379



Kit GYS Electro Force
088894



**Electro-force pulling
trolley for Airfix draw
aligner**
Chariot de tirage
Electro-Force pour Airfix
Draw Aligner
091818




BREVET GYS
GYS PATENT
EP24150113
US2024246133



NEW
091474
**Complete winch
assembly**
Ensemble
treuil complet
(included)



079588
**Ultra resistant
No elasticity**
(1,5 T max)
(included)




049734
6 tooth
Ø M10 / M14
(included)



NEW
04/2026
**Fine pulling
tool**
Outil de
tirage fin
091108


118 x 36 x 9 cm
32 kg

350 kg
Uniform pulling force
Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme



Precision

All directions




Down-pulling

Rocker panel
- Bas de caisse
- Schweller
- Sottoporta



Up-pulling

Upper-parts
- Parties hautes
- Oberteile



Options

Welding sheets kit
- Kit plaques à souder
083493



25 mm
(x1 included)
x5
083509

38 mm
(x1 included)
x5
083516


50 mm
(x1 included)
x5
083523

75 mm
(x1 included)
x5
083530

**12 tooth claw -
Griffe 12 dents**
082229



**8 tooth claw -
Griffe 8 dents**
067745



Download
the page
with prices



41

DRAW ALIGNER

PULLING SYSTEMS



DRAW ALIGNER




PULLING SYSTEMS




Youtube

DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475




OPTION




INCLUDED

Wedge for rocker panel - Câlè pour bas de caisse




Pads kit for rocker panel - Kit patins pour bas de caisse



OPTION


Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger

052581




OPTION

12 tooth claw for pulling chain 082229




DRAW ALIGNER PRO

069244



OPTION




INCLUDED

Plate under the wheel - Câlè sous roue
Compatible with Draw Aligner & Draw Aligner Pro


076693



Wedge for rocker panel - Câlè pour bas de caisse




Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation



OPTIONS

Pads kit for rocker panel - Kit patins pour bas de caisse

071278



Download the page with prices



MEASURING TOOLS - Mesures - Vermessung

BODYMETER, Mechanical measurements

052130

included



250 › 2230 mm



GYSMETER, Electronic measurements


052093



400 › 2650 mm



Measuring report



Light weight measuring arm with an easy to read digital display




EASYBENCH

LIFTING & PULLING SYSTEM



Compact Bench



EASYBENCH 1

max 2.5 t

NEW



5 t max

089242



Draw aligner Easybench
Equerre de tirage Easybench



Side pulling arm
Bras de tirage latéral



(x4) Mounting arm + clamps - (x4) Bras de fixation + pinces



Pulling chain - Chaîne de tirage



Safety cable - Câble de sécurité



Rails - 2x1 m
090729




Down-pull attachment -
Poulie de traction vers le bas



Pulling clamps - Pincas
de tirage

Option

NEW



2 kg
Copper mallet -
Marteau en cuivre
091801



Easybench table lift
088238



Hydraulic power
unit with remote
control(10 m)
400V 3~ - 16 A -
60Hz/50Hz
090163



(x4) Stands - (x4) Tabourets 15.7 in - 40 cm
090187



Extensions (x4) - Réhausse (x4) - 2.4 in - 6 cm
090064

260x105x24 cm
560 kg



Easybench lifting table

088238

64x31x102 cm
65 kg



Hydraulic power unit with
remote control (10 m)

400V 3~
090163 220V 1~
090170

260x105x24 cm
560 kg



Pulling bracket Easybench - Equerre de tirage Easybench

089242

60x60x73 cm
60 kg



(x4) Stands - Tabourets
15.7 in - 40 cm

090187

28x10x10 cm
2.6 kg



(x4) Extensions -
Réhausse 2.4 in - 6 cm

090064



(x2) Hydraulic
oil 32CST - 5l

062160

Complete pack

090217	▪	▪	▪	▪	▪	▪
090224	▪	▪	▪	▪	▪	▪
090231	▪	▪	▪	▪	▪	▪
090248	▪	▪	▪	▪	▪	▪

EASYBENCH

LIFTING & PULLING SYSTEM



Download the page with prices

LIFTING


2.5 t max

Powerful lifting
& high security

Ultra-powerful
twin cylinders

Adaptable to most cars

Adaptable à la plupart des véhicules



Remote control -
Télécommande à distance
10 m



11 cm
only



160 cm
max

Included
x4



PULLING

5 t
max


Fast installation

Installation rapide

Powerful hold


Fixation solide

Adjustable



Fully-rotating draw aligner

Équerre de tirage rotative



180°




Adjustable
height



Lateral pulling

Traction latérale

180°




Side adapter -
Adaptateur latéral

Down pulling

Tirage vers le bas




Down-pull attachment -
Poulie de traction
vers le bas



PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge

Manual-locking pull clamp - Mini pince de tirage à blocage manuel - Mini Klemme von Auflage in Handblockieren 056855



5 t

216 mm, 68 mm, 74 mm, 98 mm, 45 mm, 52 mm, 55 mm

Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme 052642



6 t

290 mm, 280 mm, 59 mm, 68 mm, max 12 mm


Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme 060944



6 t

270 mm, 100 mm


Right angle pull clamp - Pince de tirage à angle droit - Zugklemme 90° Winkel 052666



6 t

260 mm, 100 mm, 170 mm

SWIVEL CLAMP - Pince pivotante




060968

6 t

240 mm, 100 mm

PULL HOOK - Crochet de tirage - Ziehwerkzeuge


Boomerang pulling hook set - Kit crochet de tirage « boomerang » - Zughaken Set «Boomerang» 052659



450 mm, 41 mm, 57 mm, 53 mm, 97 mm, 94 mm, 56 mm, 230 mm, 60 mm

ARCH HOOKS - Passage de roue


Large arch hook - Crochet passage de roue grande dimension 060982



315 mm, 1.5 t

PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge

Chain joint double grab hook - Raccord de chaîne double crochet 061156



6 t


270 mm

Chain joint for two clamps - Raccord de chaîne pour deux pinces 061163



260 mm

Body chain 10 mm - Chaîne de tirage 10 mm 061255



2.5 m

Breaking load - Charge de rupture - Zuglast: 12 t


12 tooth claw for pulling chain 082229



068995, 067745, 049741

WIDE PULL CLAMPS - Pinces de tirage larges


2-way - 2 directions 061217



5 t, 3 t

120 mm

Multi-way - Multidirections 061224




5 t, 3 t

120 mm

SMALL PULL CLAMPS - Pinces de tirage faible largeur


Long nose clamp - Pince bec de canard 060951



2 t

245 mm, 30 mm


Small mouth pull clamp - Pince de tirage faible largeur 061231



5 t

210 mm, 45 mm

Box clamp - Pince contournement de rebord 061170




3 t

220 mm, 35 mm

MULTIPLE PULL CLAMP - Pince de tirage multiple


Load spread multi clamp - Pince multiple répartition de charge 060999



5 t

120 mm, 450 mm

45 MM SCISSORS CLAMP - Pince ciseaux largeur 45 mm




061187

3 t

280 mm, 45 mm

90 DEGREE CORNER CLAMP - Pince de tirage pour angle 90°



059757

3 t

72 mm, 192 mm, 35 mm, 90°

C TYPE CLAMP - Pince de tirage type C




061200

5 t

180 mm, 70 mm

SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



The best from **Autorobot**
www.autorobot.com/pdf/7148_ENG.pdf
MADE IN FINLAND


MADE IN HIGH QUALITY FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1 SATELLITE - Satellite - Satellit Basisbügel-Set



052710



2 KIT MAC PHERSON (A) - Mac Pherson Kit - Befestigungs-Kit-Federbein (McPherson)



052703




3 BARRE POUR TIRER/POUSSER - Push/Pull Bar - Zug/Druck-Stangenset



052673



4 SATELLITE (B) - Bügelverlängerung



052680



5 SANGLE DE SÉCURITÉ - Safety Strap - Sicherungsgurt



044036



6 DOUBLE PINCE SATELLITE (C) - Double Clamp Satellite - Satellit Doppelklemme



052697



PINCE DE TIRAGE MULTI-USAGE - Versatile pulling clamp - Multifunktions-Zugklemme




053571

Autorobot



WELDING SHEETS KIT WITH CLAMP - Kit plaques à souder et pince



083493

75 mm

25 mm (x1 included)	38 mm (x1 included)	50 mm (x1 included)	75 mm (x1 included)
x5 083509	x5 083516	x5 083523	x5 083530



HYDRAULIC CYLINDER KIT - Coffret vérin hydraulique - Hydraulischer Drucksatz

MADE IN CHINA

OPTION

BASIC 4T
052345

BASIC 10T
052338

PRO 4T
057432

PRO 10T
057449

Hydraulic oil 1L - Huile hydraulique 1L
053397

ANCHOR BAR - Barre d'ancrage - Türspanner

MADE IN TAIWAN

910 > 1130 mm

053045

1540 > 1930 mm

053052

POWER-PULLER 4T

HIGH QUALITY

059740

INERTIA HAMMER KITS - Kits marteau à inertie - Ausziehhammer kit

5 kg
+ 6 hooks
087828

9 kg
+ 6 hooks
085930

73 cm

ELECTRO POWER - Zug-Druckpresse

with accessories :
057425

ELECTRO POWER
PULLING POWER: 5 Ton. /
PUSHING POWER: 5 Ton. /
PISTON / STROKE: 130 mm

INCLUDED

Accessories kit : 425x620x150 mm
Total weight: 20 kg
057418

Standard kit : 425x620x210 mm
Total weight: 18 kg
057401

5T
PULLING /
PUSHING
POWER

OPTION

Pince écarteur
079496

160 mm

140 mm

Li-Ion battery
058514

GYS ELECTRO-FORCE - Zug-Druckpresse

3 speeds - 3 vitesses

3 → 9T
2 → 7T
1 → 5T

NEW

✓ ROBUST ✓ COMPACT ✓ HIGH AUTONOMY

Complete pack
with accessories :
089075

Standard kit : 425x620x210 mm / Battery
and charger included / Total weight: 18 kg
088894

Accessories kit : 425x620x150 mm
Total weight: 20 kg
088900

9T
PULLING /
PUSHING
POWER

Rubber protection
- Protection en
caoutchouc

4 Ah
High power

Multi-brand battery system -
Batterie multi-marques
Li-ion battery
(included)

MADE IN
FRANCE

Option
Batterie lithium 20V / 4Ah
pour GYS Electro Force
(compatible Makita)
091771

NEW

GYS ELECTRO FORCE

PULLING POWER: 9 Ton. / PUSHING POWER: 9 Ton. / PISTON / STROKE: 130 mm

Spreading / Écarter

Pressing / Compresseur

Pushing / Pousser

Pulling / Tirer

OPTION

Workstation Premium
- Servante Premium
076143

87 x 56 x
105 cm / 64 kg

Trolley - Chariot
054233

74 x 51 x 81 cm
80 x 123 x 15 cm / 44 kg



RESISTANCE SPOT WELDING

NEW MACHINES WITH COLOUR SCREEN

SCREEN INTERFACE	54
PTI NEO	57
PTI MASTER / PTI EXPERT	58
PTI GENIUS PLUS	61

G ARMS	62
--------	----


CONSUMABLES

ACCESSORIES & CONSUMABLES	64
---------------------------	----

PRESENT MACHINES

BP GENIUS / PTI GENIUS	66
X ARMS / C ARMS	68
PORTASPOT	69

Spot Welding Excellence




Maximum power
Transformer inside



Automatic hydraulic connection



Fast open XL (Mechanical)
Easier access
Superior visibility
(model Master, Expert)



Easy opening
Ideal for difficult access
Ultra fast arm switching



Perfect electrical connection
Maintenance free



Freedom of movement
Gyro
(model Master, Expert)

G arms
compatibility
p.62 / 15 ref.



TRANS GUN



Neo
TRANS GUN



Master
TRANS GUN



Expert
TRANS GUN

	Neo TRANS GUN	Master TRANS GUN	Expert TRANS GUN
 Weight	9.7 kg	10.3 kg	11.8 kg
 Fast Open XL	—	✓	✓
 Gyro	—	—	✓

GYSPOT PTI NEO



14000 A / 13000 A
550 daN

 **TRANSFORMER INSIDE**  **Liquid cooled**

IHM 3.5" Mild steel HSS UHSS Boron

	024779	084834	077362	084841
Gyspot PTI-NEO	400 V 14000 A		208-240 V 13000 A	
Caps remover 050846	■	■	■	■
G1 022768	■	■	■	■
G2 + G4		■		■
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX

78.5 x 58.5 x 64 cm 6 units/palette



Light & Compact
↕ 63 x 76 x 127

4 m



 **LIQUID COOLING**
5 Litres
(not included)

PTI NEO 400V
024779

PTI NEO 208-240V
077362

	 MADE IN FRANCE	 62135		RMS	 A D curve	Spots/min (max)	Uo	 mm	Cables						
			50/60 Hz	A		V	 (option)	 (option)	 (option)		cm	kg			
	GYSPOT PTI NEO 400V		3 x 400 V	14 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4x4 mm ² H07RN-F	63 x 76 x 127	57
	GYSPOT PTI NEO 208-240V		3 x	200 V	10 900	30	10	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4xAWG8 (500W)	63 x 76 x 127	62
	208 V			11 300											
	230 V			12 500											
	240 V			13 000											
	    														

OPTIONS



RESISTANCE SPOT WELDING

PTI MASTER

GYSPOT

PTI MASTER

14000 A

550 daN

TRANSFORMER INSIDE

Liquid cooled

IHM 3.5"

Mild steel

HSS

UHSS


Boron

	083264	087965	083257	087972
	400V		208-240V	
Caps remover	■	■	■	■
G1	■	■	■	■
G3		■		
G2 + G4		■		■
G9				■
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX
78.5 x 58.5 x 64 cm 6 units/palette				



PTI MASTER 400V
083264

PTI MASTER 208-240V
083257



10.3 kg

Light & Compact
↕ 63 x 76 x 127



4 m

LIQUID COOLING
5 Litres
(not included)

RESISTANCE SPOT WELDING

PTI EXPERT

GYSPOT

PTI EXPERT

14500 A

550 daN

TRANSFORMER INSIDE

Liquid cooled

IHM 3.5"


Mild steel

HSS

UHSS

Boron

	083943	088009	083950	088016
	400V		208-240V	
Caps remover	■	■	■	■
G1	■	■	■	■
G3		■		
G2 + G4		■		■
G9		■		■



11.8 kg



PTI EXPERT 400V
083943

PTI EXPERT 208-240V
083950



OPTIONS

G-clamp front body + protection 084896

QUICK FIX Single sided gun

- Kit Pistolet monopoint 082823

EASY CONNECTION

Cooling liquid
- Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212

5 L 062511

10 L 052246

G9 | 8 bar/500 daN

G9 with X1 Included 022881

X1 050501

Protection cover for PTI NEO / MASTER 088887

NEW

Protection cover for PTI EXPERT 088993

NEW

10-14 kg


059696

MADE IN FRANCE CE NORMA 62135		RMS		Spots/min (max)	Uo V	mm		Cables						
	50/60 Hz	A	A D curve							(option)				
GYSPOT PTI MASTER 400V	3 x 400V	13 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4x4 mm ² HOTRNF	63 x 76 x 127	58	
GYSPOT PTI MASTER 208-240V 	3 x	200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4xAWG8 (500W)	63 x 76 x 127	63
		208 V	11 300			6.9								
		230 V	12 500			7.7								
		240 V	13 000			8								
GYSPOT PTI EXPERT 400V	3 x 400V	14 500	25	10	7.4	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4x4 mm ² HOTRNF	65 x 100 x 230	109	
GYSPOT PTI EXPERT 208-240V 	3 x	200 V	12 500	50	10	6.5	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4xAWG8 (500W)	65 x 100 x 230	119
		208 V	13 000			6.7								
		230 V	14 500			7.4								
		240 V	14 500			7.7								

Spot Welding GENIUS PLUS



Maximum power
Transformer inside



Easy opening
Ideal for difficult access
Ultra fast arm switching



600 daN
Stronger
Ultra high power




Automatic hydraulic connection



Perfect electrical connection
Maintenance free



Freedom of movement
Gyro



Fast open XL (Pneumatic)
Easier access
Superior visibility



Upside down position



Freedom of movement
Gyro




G arms
compatibility
p.62 / 15 ref.

12.4 kg
Gyro & G1
included

GENIUS PLUS

+ precise + adaptable + powerful

Easier to maneuver



Cable lock



More freedom of movement



Motorised cable support
- Potence électrique
- Elektrisch verstellbarer Kabelsupport
- Control command
- Contrôle de commande



DOWN
144 cm
57"

UP
275 cm
108"

GYSPOT PTI GENIUS PLUS

14500 A
600 daN

TRANSFORMER INSIDE **Liquid cooled**

IHM 7" USB Mild steel HSS UHSS Boron

	083295	089297	083288
Gyspot PTI-GENIUS PLUS	400V	208-240V	
Caps remover 050846	■	■	■
G1 022768	■	■	■
G2 + G3 + G4 022898	■	■	■
Liquid cooling (10L) 052246	■	(x3)	■
Caps type A box 048935	■	■	■
Protection cover 077126	■	■	■

12.4 kg



ELECTRIC MOTOR

Electrode storage
- Rangement pour électrodes

6 m

High stability - Grande stabilité

PTI GENIUS PLUS 400V
083295

PTI GENIUS PLUS 208-240V
083288


LIQUID COOLING
30 Litres
(not included)

Extra-long balancing system



210 cm / 83"

140 cm / 55"




 MADE IN FRANCE	 62135		 RMS		Spots/min (max)	Uo	 mm	Cables						
		50/60 Hz	A	A D curve		V	 (option)	 (option)	 (option)		cm	kg		
GYSPOT PTI GENIUS PLUS 400V		3 x 400 V	14 500	25 (17 kVA)	15	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4x4 mm ² H07RN-F	71 x 90 x 200	127.7
    	3 x	200	12 500	50 (17-21 kVA)	15	6.6	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4xAWG8 (500V)	71 x 90 x 200	136.2
		208	13 000			6.9								
		230	14 500			7.3								
		240	14 500			7.9								

OPTIONS

Caps type A box 048935 x40 (x6: 049987)	073449	Cooling liquid 2L 082212 5L 062511 10L 052246	for PTI GENIUS PLUS 077126	G9 18 bar/500 daN G9 with X1 Included 022881	NEW G PLUS Balancing system lift 089105	EASY CONNECTION	QUICK FIX Single sided gun - Kit Pistolet monopoint 082823
Caps type F box 077119 x40 (x6: 049970)	x20 (x6: 049987) x6 (x6: 049970) x2 (x1: 050617)			X1 050501			

G ARMS

for GYSPOT PTI Neo / Master / Expert /
Genius PLUS / BP Genius / PTI GENIUS



G Arms - Caps Ø13 mm

Isolated arms - Bras isolés - Isolierte Bügel

G1 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022768 Option G1/G3-SA (Small Access) 067653 (for arms < 01/2021)	G2 8 bar/300 daN 022775	G3 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022782 Option G1/G3-SA (Small Access) 067653 (for arms < 01/2021)	G4 Reversible 8 bar PTI Neo/Master/Expert: 300 daN PTI Genius PLUS: 330 daN 022799 Option G4-SA (Small Access) 064478 (for arms < 01/2021)
G5 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022805 Option G5/G10-SA (Small Access) 067660 (for arms < 01/2021)	G6 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022812	G7 8 bar/150 daN 022829 95 mm 051614 155 mm 089228	G8 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022836 Option G8-SA (Small Access) 067677
	G11 8 bar PTI Neo: 550 daN for PTI NEO 071766	G10 Reversible 8 bar PTI Neo/Master/Expert: 370 daN PTI Genius PLUS: 400 daN 067165 Option G10/G12-SA (Small Access) 067660	

G ARMS PANELS

G2 + G3 + G4 022898	G2 + G3 + G5 063297
---------------------------------------	---------------------------------------

KIT SMALL ACCESS GENIUS

077072
included SA 073579
for PTI GENIUS / GENIUS PLUS

- + G1/G3-SA (Small Access)
134
- + G4-SA (Small Access)
156
- + G5/G10/G12-SA (Small Access)
220
- + G8-SA (Small Access)
368

Option
Kit de maintenance connecteurs pince G
- Connectors maintenance kit for G clamp
067295

G12 Reversible

8 bar/300 daN
075238

Option
G10/G12-SA (Small Access)
067660

G14 Reversible

8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
080942

AUTOMATIC WELDING FOR X1, X2 & X6

UNIQUE SYSTEM

BREVETÉ / PATENTED
n° US 11,618,097

Youtube

G9 with X1 included
8 bar/500 daN
for GYSPOT PTI MASTER / EXPERT / Genius PLUS / BP Genius / PTI GENIUS
022881

Support included | 550 daN | 4.84 kg

Options for G9

300 daN X2 050518	400 daN X6 050587	150 daN X4A 020702
----------------------------------	----------------------------------	-----------------------------------

90284 + 55121
for BP-G < Oct. 2019

X4 combination
X4A + X4A

Selection guide

GUIDE DE CHOIX - LEITFADEN ZUR AUSWAHL

Colour Screen Generation



	PTI NEO	PTI MASTER	PTI EXPERT	PTI GENIUS PLUS
Machine type - Type de machine	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp
Arm - Bras	G	G	G	G
Max welding current - Courant de soudage max	13000 A	13000 A	14500 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN	600 daN
Clamp weight - Poids de la pince	9.7 kg	10.3 kg	11.8 kg	12.4 kg
Light & compact - Compact et léger	•	•	—	—
Electrode with over-opening - Electrode avec sur-ouverture	—	Mechanical	Mechanical	Pneumatic
Welding max frequency - Cadence max de soudage	10 pts/min	10 pts/min	10 pts/min	20 pts/min
Automatique mode - Mode automatique	•	•	•	•
Cooling system - Système de refroidissement	5 litres	5 litres	30 litres	30 litres
Duty cycle - Facteur de marche	★★★	★★★	★★★★	★★★★★
Number of spots before thermal protection - Nombre de points avant protection thermique 10 pts/min at 25°C 2.4mm (2x1.2mm)	35	35	100	200
Gyro - Gyro	—	—	•	• Ball bearing Gyro
Balancing arm - Avec potence	—	—	•	• Electric, adjustable height
Balancing arm length - Longueur potence	—	—	140 cm	210 cm
Colour screen generation - Génération d'écrans couleur	3,5 " Colour Screen	3,5 " Colour Screen	3,5 " Colour Screen	7 " Colour Screen
Software update & Traceability - Mise à jour logicielle et traçabilité	USB	USB	USB	USB
Clamp cable length - Longueur faisceau pince	4 m	4 m	5 m	6 m
Mains cable length - Longueur câble secteur	8 m	8 m	8 m	8 m
Disconnectable clamp - Pince déconnectable	—	—	•	•
Single sided gun - Pistolet monopoint	(Option)	(Option)	(Option)	(Option)
Balancing system cable lock - Blocage du câble de la potence	—	—	—	•

ACCESSORIES & CONSUMABLES

X/C/G CONSUMABLES - Consommables X/C/G

Type A
Cor X clamp
Ø 13 mm (x6)
049987

Type D
Cor X clamp
Ø 13 mm (x10)
058507

TYPE G
Ø 13 mm (x10)
059672

Type B
Cor X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

Caps inclinés - Beveled
X2, X4C11 arms
Ø 13 mm (x6)
049994

Caps type A box
048935
x40

Caps type F box
077119
x40

073449

x20

x6

x2

Contact grease
Graisse contact
80 g
050440

Caps remover
050846

Anti-corrosion welding primer
- Primaire de soudage anti-corrosion
500 ml
076822

Spot / Monopoint
049291

050068

x10

x6

x18

x18

CAP GRINDER - Affuteur de caps



STEEL SHEET TRACTION BENCH

- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung



WELD TEST KIT - Valise test soudure HLE / THLE

- Schweißtestkit im Hartschalenkoffer



PROTECTION COVER - Housse de protection - Schutzhaube

NEW

for PTI NEO / MASTER

088887

NEW

for PTI EXPERT

088993

for PTI GENIUS / GENIUS PLUS

077126

COOLING LIQUID

- Liquide de refroidissement
- Kühlmittel - Enfriamiento líquido
- Refrigeração líquida

2 L 082212

5 L 062511

10 L 052246

ANTI-ARC PROTECTION 12V

- Protection anti-arc 12 V
- Lichtbogenschutz 12V - Protección anti-arco 12V



ELECTRODE FORCE SENSOR


- Capteur d'effort



SHEETS SET

- Echantillons de tôles

Acier standard / Standard steel
0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25)
+ Alu
1 (x45) + 1.5 (x30) + 2 (x20)
055841






GYSPOT

RESITANCE SPOT WELDING

BP GENIUS
PTI GENIUS



Youtube



BP GENIUS 400V
023451

Gun & cable support

OPTIONS



Caps type A box
048935
x40 (x6: 049987)
Caps type F box
077119
x40 (x6: 049970)

SD CARD
050914
Cooling liquid
2L 082212
5L 062511
10L 052246

Protection cover
050853

G9 with X1 Included
022881

10-14 kg

for BP
050853

for PTI GENIUS
077126

G9 with X1 Included
022881

059696

GYSPOT

PTI GENIUS

14 500 A
550 daN

For mild steel, HSS, UHSS

Boron steel

TRANSFORMER INSIDE


Liquid cooled

Traceability software
Save spot welding configuration
and export data



Gyspot PTI-GENIUS	024878	082267	024854	024892
	400V		220V	480V
Caps remover 050846	■	■	■	■
Arm support G1 022768	■	■	■	■
G2 + G3 + G4 022898	■	■	■	■
Liquid cooling (10L) 052246	■	■	■	■
Caps type A box 048935	■	■	■	■
Protection cover 077126	■	■	■	■

Ergonomic



12.3 kg

High stability -
Grande stabilité

PTI GENIUS 400V
024878

PTI GENIUS 220V
024854

PTI GENIUS 480V
024892

OPTIONS

Kit gun
067226




 MADE IN FRANCE	 62135		 RMS		Spots/min (max)	Uo	 mm	Cables						
		50/60 Hz	A	A D curve		V						cm	kg	
GYSPOT BP GENIUS 400V		3 x 400 V	13 000	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	16	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6 mm² H07RNF	OK	65 x 80 x 205	171
GYSPOT PTI GENIUS 400V		3 x 400 V	14 500	25 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	—	6 m, Liquid	—	8 m 4x4 mm² H07RNF	71 x 90 x 200	127.7
GYSPOT PTI GENIUS 220 V     		3 x	200	12 500	50 (17-21 kVA)	20	2.5+2.5+2.5	1,5 + 3	—	6 m, Liquid	—	8 m 4xAWG8 (500V)	71 x 90 x 200	136.2
208	13 000		6.6											
230	14 500		6.9											
240	14 500		7.3											
GYSPOT PTI GENIUS 480V		3 x 480 V	14 500	20 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	—	6 m, Liquid	—	8 m 4xAWG12 (500V)	71 x 90 x 200	128.7


X ARMS

for GYSPOT 32D-X,
100R-CX, BP-LX


Caps Ø13 mm




X1 8 bar/550 daN
050501



X2 8 bar/400 daN
050518




X6 8 bar/400 daN
050587



X4 8 bar/120 daN
050532

X4 combination




X4A + X4A


C ARMS

for GYSPOT PTI


Caps Ø13 mm




C1 8 bar/550 daN
021402




C5 8 bar/550 daN
022393




C8 8 bar/550 daN
021440




C2 8 bar/550 daN
022386



C6 8 bar/300 daN
022409





C3 8 bar/550 daN
021419




C7 8 bar/550 daN
021433

Option for C7


C7-SA (Small Access)
067684



C4 8 bar/550 daN
021426





C12 8 bar/550 daN
022997



C9 8 bar/550 daN
020078

Option for C9

C9-SA (Small Access)
067660




Bras isolés
- Isolated arms - Isolierte Bügel

PTI arm
support kit
077577



Arm lock
pin
062405



C ARMS PANELS

C2 + C3 + C4
060821

ALL IN 1 BOX



Gyro 360°
051720



Complete gun kit
067318

Convert
PTI S-7 to
Premium Pro


C ARMS
G ARMS

Kit Renov PTI Premium Pro

220V
072367



400V
072541



Tank draining kit - Kit de
purge réservoir
- Kit zur Tankentleerung
058286



PORTASPOT / GYSPOT

RESISTANCE SPOT WELDING

PORTASPOT 230


6 300 A 120 daN

Air cooled

230V
022256




Youtube




Not compatible with
HLE/THLE

DELIVERED
WITH PX 1


ARMS Ø 23 mm




PX1 (included)
047945




PX2
047938



PX3
047921




PX4
047914




Ref 051614
PX5
048690


ELECTRODES



EX40
Short electrode 40 mm
047884




EX60
Medium electrode 60 mm
047891



EX80
Long electrode 80 mm
047907

CAPS & ACCESSORIES



Caps type F (x 6)
049970



Caps remover
050846



Blade - Lame
052857



Cap grinder - Affuteur de caps
048966

	~AM~	RMS	MAX	Uo	Cable	100% CU	
50/60 Hz	A	A	A	mm	V	Ø mm²	LxWxH cm / kg
1 x 230V	16(D)	6 300	8 900	2+2	2.45	2.5	3x2,5 H05VVf
							OK
							41 x 18 x 22 / 11.3

C ARMS

69



Youtube

MADE IN FRANCE



GYSPRESS


GYSPRESS 10T

6.5 bar 100 kN

10t

063303

070653



Youtube



Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse -
Regelung Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung

US version
070653



Pressure gauge
Psi



	AIR BAR	PRESSURE CONTROL	SPEED CONTROL			
MADE IN FRANCE				cm	kg	LxWxH cm / kg
GYSPRESS 10T	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	•	41 x 18.5 x 6.5	6.2 (HR110 included)	58 x 50 x 15 / 12.1
GYSPRESS 10T COBRA	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	•	39.5 x 18.7 x 6.5	6.6 (HR110 included)	58 x 50 x 15 / 12.5

GYSPRESS 10T COBRA

6.5 bar 100 kN

10t

088719




- ✓ LARGE OPENING
- ✓ FASTER
- ✓ ERGONOMIC

NEW
01/2026



UNIQUE 100%
No air inclusion
maintenance free, no oil refill

LARGE OPENING




MORE ACCESS


ERGONOMIC

3 trigger positions
- 3 positions de gâchette


Work faster 2 s



Rapid closure - Fermeture rapide



Riveting position - Position rivetage




Automatic discharge - Décharge automatique




Pressure control - Contrôle de la pression - Druckregelung

GYSPRESS 10T / 10T COBRA

										
			HR110 063310	XT11.21 - Extension for HR110 & HR210 10T : 053694 10T Cobra : 089211 058644	Standard tool box 10T : 053694 10T Cobra : 089211 048706	6 x 50 rivets RAP - Nieten SPR 048706	Strap-Sangle-Gurt	HR arm locker	Handle - Poignée - Griff	Filling bulb - Poire de remplissage 091412
GYSPRESS 10T 063303 070653 085091	✓				✓					
GYSPRESS 10T COBRA 088719		✓			✓					✓


Standard tool box 10T

053694



Standard tool box 10T COBRA

089211



PATENTED

Patented dies - matrices brevetées

✓ High performance
punching without Push
Pull system -
Poinçonnage haute performance
sans système Push Pull

details p.86



RIVETING

GYSPRESS 10T	70
GYSPRESS 10T COBRA	71
GYSPRESS PREMIUM 10T PP	73
GYSPRESS 10T PP CONTROL	75
ADAPTERS	76
DIES BOXES & RIVETS	78

ACCESSORIES	81
-------------	----



	HR110	HR210	HR310 8T PP/10T/10T PP
	063310	063327	063334
GYSPRESS 8T	✓	✓	—
GYSPRESS 10T	✓	✓	✓
GYSPRESS 8T PUSH PULL	✓	✓	✓
GYSPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T CONNECT	✓	✓	✓




KIT WITH HR210
+ HR310
064089

XT31-40
Rallonges bras HR310
pour point milieu
- HR310 arm extension
for middle point

Compatible
8T PP/10T/10T PP
x2

066335



OPTIONS



Riveting machine support for changing
accessories (arms & dies)
- Support Riveteuse pour changements
d'accessoires (bras & matrice)
- Supportständer

↕ 28 x 40 x 21,5 cm
⊗ 45 x 39 x 20 cm / 7,2 kg

054158



Trolley - Chariot

↕ 74 x 51 x 81 cm
⊗ 80 x 123 x 15 cm / 44 kg


054233



Trolley + Support
Chariot + Support

↕ 51 x 74 x 122 cm
⊗ 51,2 kg

055391




Pressure sensor
- Capteur d'effort
062115

Hydraulic body wrenches
(x2)
067325



Temporary - Serre-tôles - fasteners manual
mounting



GYSPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS

	 HR110 063310	 XT11.21 - Extension for HR110 & HR210 058644	 Standard 10T Push Pull tool box 058361	 6 x 50 rivets RAP - Nieten SPR 048706	 HR210 + HR310 064089	 24kN adapter 063822	 Trolley+support 055391
GYSPRESS 10T PREMIUM PUSH PULL 077065 070660	✓						
GYSPRESS 10T PPP pack 1 082519		✓					
GYSPRESS 10T PPP pack 2 082526			✓				
GYSPRESS 10T PPP pack 3 082533		✓					✓



GYSPRESS

PUSH PULL

PREMIUM

GYSPRESS PREMIUM
10T PUSH PULL

6.5 bar 100 kN

10t

077065

070660



US version
070660



Pressure gauge
Psi



UNIQUE
100%
No air inclusion
maintenance free, no oil refill

UNIQUE
PUSH PULL SYSTEM by GYS

AUTO
or MANUAL


← PUSH

PULL →



LARGE OPENING

MORE
ACCESS



48.5 mm
(no dies)
23.5 mm
with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK
FASTER




Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic
selection
- Sélection Manuel/
Automatique



OPENING
CONTROL



Pressure control
- Contrôle de la
pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werk-
zeuggeschwindigkeit



Option
Hydraulic pump removal tool -
Outil de démontage de pompe
hydraulique
086852



MADE IN FRANCE

GYSPRESS 10T PREMIUM PUSH PULL

AIR BAR

PRESSURE
CONTROL

SPEED
CONTROL



cm



kg



LxWxH cm / kg

6.5 bar = 10 t (maxi 8 bar)

0 > 6.5 bar

↕

39.5 x 180

6.7 (HR110 included)

59 x 50 x 16 / 13.1



GYPRESS

SYNERGIC RIVETING WORKSTATION

PNEUMATIC HYDRAULIC



UNIQUE 100%
No air inclusion
maintenance free, no oil refill

ACCESSIBILITY

16 languages



★★★★
SYNERGIC
RIVETS
SETTINGS

Main panel

Setup instructions



Results




3 MODES

- MANUAL
- SYNERGIC
- CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY


- | | |
|-----------------|------------------|
| ✓ VW GROUP | ✓ FERRARI |
| ✓ MERCEDES-BENZ | ✓ FORD |
| ✓ BMW | ✓ RENAULT ALPINE |
| ✓ TESLA | ✓ GM |

CONNECTIVITY




TRACEABILITY

History data export



SOFTWARE UPDATE

Gyspress evolutions



Gyspress support




Arms support



**UNIQUE
PUSH
PULL**
SYSTEM by GYS

PUSH PULL SYSTEM by GYS

← PUSH




PULL →



Sélection Push/Pull - Push/Pull selection



✓
**REGULATED
PRESSURE
CONTROL**
**POWER
10t**



Discharge lever
- Levier de décharge
- Auslösehebel

43.5 mm
(no dies)
18.5 mm
with B1/B2 dies

OPTIONS

Pressure gauge
- Capteur d'effort
10T PP CONTROL
071759



Youtube

Hydraulic body wrenches
for GYS PRESS 10T, 10T
PushPull, 10T PP CONTROL
(x 2)
067325

**Hydraulic pump
removal tool**
086852



WORKSTATION GYSPRESS 10T PP CONTROL

6.5 bar 100 kN

10t

063860

included



		AIR BAR	PRESSURE CONTROL	SPEED CONTROL		
MADE IN FRANCE					LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYSPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar		74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

GYSPRESS CONTROL

SYNERGIC RIVETING

BLIND RIVET ADAPTERS - ADAPTATEURS POUR RIVETS AVEUGLES

GYPRESS

Adaptators

Compatibility

GYPRESS 10T
GYPRESS 10T COBRA
GYPRESS 10T PUSH PULL
GYPRESS 10T PUSH PULL PREMIUM
GYPRESS 10T CONNECT



Youtube

BLIND RIVET ADAPTER 24 kN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm
063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8



INCLUDED

058446
for standard rivets:
Ø 3.2 x1 059221
Ø 3.6 x1 059238
Ø 4.0 x1 059245
Ø 4.5 x1 059252

24 kN COMPACT 600 mm
077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD




INCLUDED

058446
for standard rivets:
Ø 4.5 x1 081222
Ø 5.2 x1 079939

OPTION

for extraction of self piercing rivet:
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY





SPECIFIC STORAGE



PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN
064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox	Mandrel support - Support porte-goujon 059634	Nozzle + pad - Buse + patin 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
x100	x1	x1	x1	x1	x1

BLIND RIVET ADAPTER 50 kN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN



50 kN 1 m
064867
4.0 kg

For BLIND rivets - Pour rivets POP - Für Blindniet

Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8


INCLUDED

Kit Standard



+

Complete kit 065987



OPTIONS

Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



Ø 8.0 → 9.8

Ø8.0/9.8mm nozzle-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit
- Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN
073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50kN Ø 5 066151
x100	x1	x1	x1	x1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700
068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50kN Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641	Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
x100	x1	x1	x1	x1	x2	x1	x1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



Blind rivet nuts - Écrous à sertir	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
x50	066175	066182	066199	066205	066212	066229
+ demo metal sheet - plaque de démonstration	x10	x10	x10	x10	x10	x5

Blind rivet bolts - Goujons à sertir	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
x50	066236	066243	066250
+ demo metal sheet - plaque de démonstration	x10	x10	x10

Blind rivets - Rivets aveugles	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
x50	066267	066274
+ demo metal sheet - plaque de démonstration	x10	x10

SPR	SR	FFR / CFFR	Extraction de rivets	Metal sheet punching and shaping
Application of self-piercing rivets - Pose de rivets auto-perçants - Stanzniet-Verpressen	Application of solid rivets - Pose de rivets pleins - Vollniet-Verpressen	Application of Flow-form rivets - Pose de rivets Flow-Form - Setzen v. Fließformnieten	- Extraction of rivets - Niet-Auspressen	- Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen
2.0 < 6.5 mm 3 < 5.8 bar	2.3 < 8.3 mm 5.3 < 8 bar	2.3 < 8.3 mm 5.3 < 8 bar	2.3 < 8.3 mm 8 bar	2.3 < 8.3 mm 8 bar

DIES BOXES - Boîtes matrices - Matrizensätze

STANDARD

	STANDARD 8T/10T PUSH PULL													
	for	8T PP	10T PP	10T CONTROL										
	058361													
	Included XT31-60 - 60 mm extension for HR310 (use with ST1, T5, T7) 057135													

Ideal for aluminum & mild steel
- Idéal aluminium et aciers doux

Low pressure



Ø 6.4 mm

KIT RMB PP05

for **10T PP** **10T CONTROL**

066366


x1
ST3


x1
T12


x1
T13

Punching

Ø 6.7

Ideal for UHSS, Boron - Idéal aciers durs, Boron

HIGH pressure



Ø 6.4 mm

KIT RMB 08 PREMIUM

for **10T PP** **10T CONTROL**

066403


x1
T14


x1
T15


x1
T16

Punching

Ø 6.7

BREVETÉ GYS / GYS PATENT
n° US 11,712,732

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM

for **10T PP** **10T CONTROL**

071186


x1
T17


x1
T18


x1
T19

Punching

Ø 6

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM

for **10T PP** **10T CONTROL**

071193


x1
T20


x1
T21


x1
T22

Punching

Ø 8

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM

for **10T PP** **10T CONTROL**

080867


x1
T23


x1
T24


x1
T25

Punching

Ø 10

		 GM																		
RMB 11 for 10T 10T COBRA 071087		RMB 11 → RMB PP04 →		x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4
RMB PP04 for 10T PP 10T CONTROL 071063		Included XT31-60 - 60 mm extension for HR310		F1	F6	F25	E9	E11	—	—	—	T17	T18	T19	D18	D17				
				Flow-form rivets			Extraction			Punching							key - clé		seals - joints	
				Ø 6			SPR			Ø 6										

	 FERRARI																			
	RMB 06 for 059009				10T COBRA	8T PP	10T PP	10T CONTROL												
																				
					x1 B4	x1 B5	x1 B6	x1 S3	x1 S7	x1 S8	x2 D17	x1 E1	x1 E2	x1 E13	x2 key - clé	x4 seals - joints				
				Self-piercing rivets						Extraction										
				Ø 3.9	Ø 4.75			Ø 3.9		Ø 4.75										

VW GROUP

RMB 03 for **054257**

Available for: **8T** **10T** **10T CMBRA** **8T PP** **10T PP** **10T CONTROL**

Pin	Quantity	Size	Material	Color
A1	x1	03.2	Al	Yellow
B1	x1	05.3	Al	Yellow
S3	x1	03.9	Al	Yellow
S7	x1	04.75	Al	Yellow
S8	x1	04	Al	Yellow
D8	x1	04	Al	Orange
D9	x1	06	Al	Orange
D17	x1	06	Al	Orange
D1	x1	03.2	Al	Orange
D2	x1	03.2	Al	Orange
D3	x1	03.2	Al	Orange
D4	x1	03.2	Al	Orange
D13	x1	05.3	Al	Orange
E2	x1	03.9	Al	Red
S1	x1	03.2	Al	Red
S4	x1	03.2	Al	Red
S5	x1	05.3	Al	Red
D5	x1	08	Al	Green
D6	x1	04.8	Al	Green
D7	x1	04.8	Al	Green
D10	x1	04.8	Al	Green
D11	x1	04	Al	Green
D12	x1	08	Al	Green
D15	x1	08	Al	Green
D16	x1	06	Al	Green
Key	x2	-	Steel	Grey

 MERCEDES-BENZ																																																																																																																																																		
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---



PORSCHE

RMB 10 for **10T** **10T COBRA**

069299

														
RMB 10 →	B3	F25	E9	E11	—	—	—	—	—	—	—	—	—	
RMB PP06 →	Flow-form rivets		Extraction		Punching								key - clé	seals - joints
	Ø 6		SPR		Ø 6									

RMB PP06 for **10T PP** **10T CONTROL**
 069305

Included **XT31-60** - 60 mm extension for HR310

Kit	Rivets	Quantities	Additional Components
RMB 17 for 10T COBRA	F3	x1	key - clé
	F45	x1	
RMB 17 for 10T COBRA	F5	x1	seals - joints
	D17	x2	
RMB 17 for 10T COBRA	E11	x1	Included XT31-60 - 60 mm extension for HR3 057135
	E15	x1	
RMB PP09 for 8T PP, 10T PP, 10T CONTROL	ST2	x1	key - clé
	T8	x1	
RMB PP09 for 8T PP, 10T PP, 10T CONTROL	T10	x1	seals - joints
	T20	x1	
RMB PP09 for 8T PP, 10T PP, 10T CONTROL	T21	x3	Included XT31-60 - 60 mm extension for HR3 057135
	T22	x1	





RMB 18
090798

for **10T** **10T COBRA**

RMB PP10
090804

for **8T PP** **10T PP** **10T CONTROL**

 Included **XT31-60** - 60 mm extension for HR310

																								
RMB 18 →	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
RMB PP10 →	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Self-piercing rivets									Flow-form rivets			Extraction		Punching						key-clé	seals-joints		
	Ø 5,3		Ø 5,3							S28/38/48/58/68			S08/18		SPR		Ø 8							

RMB 12 → RMB PP07 →		Rivets												Key		Seals				
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4		
B1	B3	I1	I2	I3	F1	F6	F25	E3	E13	ST1	T5	T7	T17	T18	T19	D18	D17			
Self-piercing rivets						Flow-form rivets			Extraction	Punching								key	seals	
Ø 5,5							Ø 6		SPR										clé	joints
5,3											Ø 6									

Included XT31-60 - 60 mm extension for HR310

DIES - Matrices - Matrizen

SPR
Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen

2.0 < 6.5 mm 3 < 5,8 bar

SR
Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen

2.3 < 8.3 mm 5,3 < 8 bar

FFR / CFFR
Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten

2.3 < 8.3 mm

Extraction of rivets
- Extraction de rivets
- Niet-Auspressen

2.3 < 8.3 mm 8 bar

Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets
- Vollniet-Lochstanzen/Prägen

2.3 < 8.3 mm 8 bar

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759
A1+A2		B1+B2																		
054295		054301																		

x1	x1	x1	x1	x1	x5	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
D15	D16	D17	D18	E1	E2	E3	E6	E7	E9	E10	E11	E12	E13	E15	F1	F2	F3	F25	F45
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	088573	055773	055780	055797	090781
				E1+E2														F1+F2	
				054318														054714	

																					
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	
F5	F6	F7	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	091139	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x5	x1	x1	x1	x1	x1	x1	x1	x1
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1	T2	T3	T4	T5	T7	T8	T10	T12	T13
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373
									T1+T2									
									054707									



															
		Ø 6.7				Ø 6				Ø 8				Ø 10	
x1	x1	x5	x1	x1	x1	x5	x1	x1	x1	x5	x1	x1	x1	x5	x1
T14	T15		T16	T17	T18		T19	T20	T21		T22	T23	T24		T25
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950	082830	082847	082861	082854



BREVET GYS
GYS PATENT
EP3932583
US 11,712,732



MIG-MAG GMAW-FCAW

TRADITIONAL

GYS AUTO / CARMIG-E AUTO	83
--------------------------	----

INVERTER

E GYS AUTO	84
P GYS AUTO	86
AUTOPULSE	88

ACCESSORIES & CONSUMABLES	90
---------------------------	----



GYS AUTO

TRADITIONAL SYNERGIC




M1 GYS AUTO


15 $\blacktriangle$ 160 A	Capacitor
230V • 1 ~	6 m
032903	

Capacitor

> PERFECT WELD



with accessories



Option
Spool Gun Torch
041486

Ø 100
Ideal for
- Steel / Acier / Stahl
- Stainless steel / Inox
- Alu



CARMIG E AUTO


INVERTER



CARMIG-E AUTO

20 $\blacktriangle$ 200 A	230V 1~	2 m
---------------------------	---------	-----

with accessories :




087675



83

GYS AUTO

TRADITIONAL / INVERTER
GMAW FCAW



MADE IN GYS CHINA	 60974/1		 min → max		 Ø mm					EN60974-1 (40°C)		 Ø mm	Original equipment Équipement d'origine Originalausstattung Equipamiento de fabrica				
		50/60 Hz	A	A	Reg	100 (spoolgun)	200	300	Electric Control	IA (60%)	X% (I2 max)	Steel	Alu			LxWxH cm / kg	Protected & compatible power generator (+/-15%)
▪	M1 GYS AUTO	230 V 1~	16	15 ÷ 160	6	option	▪	▪		90	140A@15%	0.6 + 1	—	0.6/0.8	0.8	78 x 38 x 67 / 56	4,5 kVA
▪	CARMIG-E AUTO	230 V 1~	16	20 ÷ 200	6	▪	▪	▪		120	200A@15%	0.6 + 1	0.8 + 1.2	0.6/0.8	0.8	NC	4,5 kVA



E GYS AUTO

INVERTER SYNERGIC

Lastest generation
colour screen 3.5"

EASY



16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EXPERT

Pre-gas / Creep speed/ Hotstart /
Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection -
Protection d'écran
- Bildschirmschutz
079885

MODES

- MANUAL
- SYNERGIC EASY / EXPERT
- 2T
- 4T
- SPOT
- DELAY


FONCTIONS

- TRACEABILITY
- PORTABILITY
- +500 JOBS can be saved

SYNERGIES

- STEEL
- AlSi
- AlMg
- Cu Si 3 / CuAl 8
- CrNi

UPDATES



USB key 16 Gb
062344


E1 GYS AUTO

10 200 A

230 V 1~

PFC

with accessories :



075122

E2 GYS AUTO

10 200 A

230 V 1~

PFC

with accessories :



075139

E3 GYS AUTO

10 200 A

230 V 1~

PFC

with accessories :



075160



E1 GYS AUTO

1		
2	-	-
3	-	-

E2 GYS AUTO


1		
2		
3	-	-

E3 GYS AUTO

1		
2		
3		



PFC POWER FACTOR
CORRECTION



OPTION




Protection cover
for 2-torch & 3-torch
generator
052260



E1 GYS AUTO 200 A • × 1 • 230 V 1~

E2 GYS AUTO 200 A • × 2 • 230 V 1~

E3 GYS AUTO 200 A • × 3 • 230 V 1~

 MADE IN FRANCE					min → max	 Ø mm			EN60974-1 (40°C)			Original equipment Equipement d'origine Originalausstattung Equipamiento de fabrica		
						50/60 Hz	A		A	200				
▪	E1 GYS AUTO	230 V 1 ~	16	6 m	10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8	79 x 37 67 / 42.6	9KVA
▪	E2 GYS AUTO	230 V 1 ~	16	6 m	10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	72 x 37 x 105 / 59.5	9KVA
▪	E3 GYS AUTO	230 V 1 ~	16	6 m	10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	73 x 38 x 108 / 64	9KVA



AUTOPULSE

DOUBLE PULSE SYNERGIC

ACCESSIBILITY

3 interface levels

EASY

EXPERT

ADVANCED

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish



Youtube

3 INTERFACE LEVELS

Latest generation colour screen 5"
800 x 480 (WVGA)



EASY



EXPERT
Pre-gas / Hot Start / Upslop / Downslope
/ Crater filler / Post-gas



ADVANCED
Arc length adjustments

PORTABILITY

Share configuration & jobs

TRACEABILITY

History data export

500+ JOBS can be saved

MODES

DYNAMIC STANDARD
PULSE
PULSE IN PULSE
MANUAL
COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS



UPDATES



EASY USB
UPDATE

USB key 16 Gb
062344


65+ SYNERGIES

STEEL
Cu Si 3 / Cu Al 8
ALU

Find all the synergies:
Retrouvez toutes les
synergies :
Finde alle Synergien :



PFC POWER FACTOR
CORRECTION



2 x 4 m³
(20L)
3 x



8 m

220 A • x 3 • 230 V 1~

AUTOPULSE 220-M3

10 **220 A**

230 V 1~

PFC

TESLA
APPROVED
COLLISION TOOLS, EQUIPMENT & CONSUMABLES

with accessories: 4 m, 35 mm² 043817 + 150 A, 3 m, air Ø 1.0 072121 + 150 A, 3 m, air Ø 0.8 063754 + 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138 +

036703

AUTOPULSE 220-M3 208-240V


10 **220 A**

208 > 240 V 1~

PFC

with accessories: 4 m, 35 mm² 043817 + 150 A, 3 m, air Ø 1.0 072121 + 150 A, 3 m, air Ø 0.8 063754 + 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138 +

062481



AUTOPULSE 220-M3

1 Ø 200 Ø 200 Ø 200

ELECTRONIC

AUTOPULSE 320-T3

1 Ø 200 Ø 200 Ø 200

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8 / 1

OPTIONS

PUSH PULL TORCH
24 V

MB 25
4 m
046283



MB 15 / MB 25
(250 A)
077089

x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-
meter
- Débitmètre de
bout de torche

053939

Protection
cover
- Housse de
protection
- Schutzhaube
052260



2 x 4 m³
(20L)
3 x

5 m

320 A • x 3 • 400 V 3~

AUTOPULSE 320-T3

15 **320 A**

400 V 3~

with accessories: 4 m, 35 mm² 043817 + 250 A, 3 m, air Ø 1.0 072152 + 250 A, 3 m, air Ø 0.8 072145 + 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138 +

067615

 MADE IN FRANCE	 EN60974-1								Cooling system		Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica	EN60974-1 (40°C)		 Protected & compatible power generator (+/-15%)			
		50 / 60 Hz	A	Ø mm	A	SPOOLGUN	PUSH/PULL	200							300	ELECTRONIC CONTROL	IA (60%)
AUTOPULSE 220-M3		230 V · 1 ~	8 m	16	0.6+1.2	10+220	—	OPTION	■	—	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA
AUTOPULSE 220-M3 208-240V		208 > 240 V · 1 ~															
AUTOPULSE 320-T3		400 V · 3 ~	5 m	16	0.6+1.2	15+320	OPTION	OPTION	■	■	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	75 x 40 x 94 / 82	16 kVA



89


AUTOPULSE

INVERTER PULSE MIG 1


MANUAL TORCHES

- Torches manuelles - Brenner
- Antorcha - Lastoort - Tocha

CLASSIC



GRIP



FUME EXTRACTION

Fume Extraction Torches - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos



PUSH PULL

for AUTOPULSE



SPOOL GUN

Special CAR BODY REPAIR MACHINES




COMPLETE TORCHES

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl						ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
X % 40°C, ArCo ₂	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %	150 A 60 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø 0.8	M6 Ø 1.0	M6 Ø 0.8	M6 Ø 1.0	M8 Ø 1.2	M6 Ø 1.2	M6 Ø 0.8	M6 Ø 1.0	M6 Ø 1.2	M8 Ø 1.2	M6 Ø 1.2	M6 Ø 1.2	M6 Ø 0,8
	3 m	3 m	3 m	3 m	4 m	3 m	3 m	3 m	3 m	3 m	4 m	4 m	4 m
	063754	072121	072145	072152	063792	040694	063761	063785	072138	063808	043282	046283	041486
	3 m												
	082151												

Special MIG/MAG plier
- Pince spéciale MIG/MAG
- Spezial MIG/MAG Zange



041332




1) Clean 2) Cut 3&4) Prepare (contact tube & nozzle)

Anti-spatter spray
(without silicone)

- Spray protecteur sans silicone
- Antihafespray (Ohne Silicon)

400 ml
041806




MIG torch stand
with magnetic base

- Support torche magnétique

041653



CONSUMABLES - Consommables



Tip adaptors & diffusers - Supports tube contact & diffuseurs											
Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL		SPOOL GUN	
AIR		LIQUID		AIR		LIQUID		AIR		AIR	
150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A	
A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	A1 (x5)	
042902	042995	043008	043589	042902	042995	043008	043589	042902	042995	042902	
+	+	+	+	+	+	+	+	+	+	+	
A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	A2 (x10)	
042988	042919	042926	043541	042988	042919	042926	043541	042988	042919	042988	

Contact tips - Tubes contacts - Kontaktröhre - Tubo de contacto - Contactbuis - Pontas de contacto											
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A (x10)	A (x10)	—	A (x10)	—	—	—	—	—	—	—
041905	041905		041905								
	A (x10)	B (x10)	C (x10)	B (x10)	B (x10)	A (x10)	—	B (x10)	B (x10)	B (x10)	B (x10)
041912	041950	041790	041950	041059	041059		041059	041059	041059	041059	041059
	A (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	B (x10)
041929	041967	419803	041967	041066	041066	419766	041066	041066	041066	041066	041066
	A (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	B (x10)
040144	041974	419810	041974	041073	041073	419773	041073	041073	041073	041073	041073
	—	—	C (x10)	—	—	—	—	—	—	—	—
			419827								
	—	—	C (x10)	—	—	—	C (x10)	—	—	—	—
			419834				041080				
	—	—	C (x10)	—	—	—	—	—	—	—	—
			040533								

Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos												
	150 A	250 A	350 A	300 A	150 A		250 A	350 A	300 A	150 A	250 A	150 A
	53 mm Ø12 (x3)	57 mm Ø15 (x3)	84 mm Ø16 (x3)	63.5 mm Ø12 (x3)	53 mm Ø12 (x3)	53 mm Ø16 (x3)	57 mm Ø15 (x3)	84 mm Ø16 (x3)	63.5 mm Ø12 (x3)	63.5 mm Ø17 (x3)	53 mm Ø12 (x3)	57 mm Ø15 (x3)
041875	041882	041783	043534	041875	046214	041882	041783	043534	046221	041875	041882	041875
	53 mm (x1)	—	—									
041851												
	53 mm (x1)	—	—									
041523												
	(x1)	—	—									
041868												
	(x1)	(x1)	(x1)									
043084	040571	040588										

Boxes

- Coffrets - Verschleißteilebox
- Cajas - Kistjes - Estojos



	x 3		x 5		x 5		x 3	=	MB 15 (150 A) 041226
	x 5		x 5		x 5		x 3	=	MB 15 / MB 25 077089
	x 5		x 5		x 5		x 3	=	MB 25 (250 A) 041233
	x 5		x 5		x 5		x 3	=	MB 36 (350 A) 041417
	x 2		x 3		x 5		x 2	=	

CONSUMABLES - Consommables

TORCH LINERS - Gainses - Mantel - Funda - Drahtseelen - Folha

STEEL - Acier - Stahl - Acero - Staal - Aço			
Ø 0.6 / 0.8	3 m	041592	
	4 m	041837	
Ø 1.0 / 1.2	3 m	041608	
	4 m	041844	
	5 m	062276	
Ø 1.2 / 1.6	3 m	418417	
	4 m	418424	
	5 m	062283	
Ø 1.6 / 2.4	4 m	040526	
	5 m	062290	

TEFLON			
Ø 0.6 / 0.8	3 m	041578	
	4 m	044050	
Ø 1.0 / 1.2	3 m	041585	
	4 m	044067	
	8 m	038677	
Ø 1.2 / 1.6	4 m	044074	
			
Guide gaine téflon pour motodévidoir 079601			

CARBON			
Ø 0.6 / 0.8	4 m	039834	
	5 m	062306	
Ø 1.0 / 1.2	4 m	039827	
	5 m	062313	
Ø 1.2 / 1.6	4 m	039810	
PUSH PULL TORCH			
Ø 1.0 / 1.2	8 m	038172	

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A			
For: Carmig			
			
Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346



TYPE B			
For: Carmig E, Autopulse 220, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto, P1/P2/P3 GYS Auto			
			
	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
Steel, Stainless steel - Acier, Inox		x 1	042100
	Ø 0.8 / 1.0	x 2	042360
		x 1	042179
	Ø 1.0 / 1.2	x 2	046849
		x 2	042384
		x 1	042155
Alu	Ø 0.8 / 1.0	x 2	042377
		x 1	042186
	Ø 1.0 / 1.2	x 2	040915
	Ø 1.2 / 1.6	x 2	042391
		x 1	042131
	Ø 0.9 / 1.2	x 2	042407

TYPE C			
For: Neopulse - Autopulse 320-T3			
			
	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
Steel, Stainless steel - Acier, Inox	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
	Ø 0.8 / 1.0	x 2	042148
Alu	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124

NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240			
	=		Ø 0.9 1.0 / 1.2 (x1) Type A
	+		M6-Ø0.9 (x3)
	+		Isolated Nozzle No Gas - 150 A (x1)
For: Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multiplearl 200-2			

GAS CONNECTORS - Raccords gaz - Gasanschlüsse

	x2 045712		Ø 8 Ø 7 x1 046245
	x1 067936		Tuyau caoutchouc- Rubber hose Ø 6.3 X 13 (EN ISO 3821) 1.5 m 066670 4 m 046269 ≧ x m 046276

PRESSUR-REGULATORS - Manomètres-débitmètres - Druckminderer

	
15 l/min (FR) 041998 (UK) 040274 (NL) 040267 (IT) 038691	30 l/min (FR) 041622 (UK) 041646 (DE) 041219 (NL) 041615 (IT) 038707
	
Optima Pro 30 l/min (FR) 043619 (UK) 043626 (DE) 043633 (NL) 043640	Torch gas flow-meter - Débitmètre de bout de torche 053939

WELDING WIRE REELS

- Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobijn - Bobines de filo



STEEL - Acier - Stahl - Acero - Staal - Aço

SG2			
Norms : AWS 5.18 : ER 70S-6 ; EN ISO 14341-A : G46 4MG3Si1 ; DIN 8559 : SG2			
100 mm 0.9 kg	Ø 0.6	086593	
	Ø 0.8	086609	
	Ø 0.6	086111	
200 mm 5 kg	Ø 0.8	086128	
	Ø 1.0	086135	
	Ø 0.6	086166	
	Ø 0.8	086227	
	Ø 0.8 ECO	086272	
300 mm 15 kg 18 kg ECO	Ø 1.0	086234	
	Ø 1.0 ECO	086289	
	Ø 1.2	086241	
	Ø 1.2 ECO	086296	
	Ø 1.2 ECO	086319	

BRAZING - Brasage

CuAl8 HLE - UHTS (Boron Steel)			
Norms : AWS 5.7 : ER CuAl-A1 ; EN ISO 14640 : S Cu 6100 ; DIN 1733 : SG-CuAl8			
200 mm 2 kg	Ø 0.8	077409	
200 mm 5 kg	Ø 0.8	086661	
	Ø 1.0	086197	
300 mm 15 kg	Ø 1.0	086180	


STAINLESS STEEL - Inox - Edelstahl

CrNi (316LSi)			
Norms : AWS 5.9 : ER 316L Si ; EN ISO 14343-A : G19 12 3 L Si ; DIN 8556 : SG X2 CrNiMo 19 12			
200 mm 5 kg	Ø 0.8	086326	
	Ø 1.0	086364	
	Ø 1.0	086371	

ALUMINIUM

AlSi5			
Norms : AWS 5.10 : ER 4043 ; EN ISO 18273 : S Al 4043-A ; DIN 1732 : SG-AlSi5			
100 mm 0.5 kg	Ø 0.8	086685	
	Ø 0.8	077133	
200 mm 2 kg	Ø 1.0	086142	
	Ø 1.2	086159	

AlSi12			
Norms : AWS 5.10 : ER 4047 ; EN ISO 18273 : S Al 4047 ; DIN 1732 : SG-AlSi12			
100 mm 0.5 kg	Ø 0.8	086678	
200 mm 2 kg	Ø 0.8	077140	
	Ø 1.0	086067	
	Ø 1.2	086074	
300 mm 7 kg	Ø 1.2	086043	



ECO
Ecological wire
reel - Bobine
écologique



SG1			
Norms : AWS 5.18 : ER 70S-3 ; EN ISO 14341-A : G42 2MG2Si1 ; DIN 8559 : SG1			
200 mm 5 kg	Ø 0.6	086418	
	Ø 0.8	086401	
CrMo2Si			
Norms : AWS 5.28 : ER 90S-B3 ; EN ISO 2195L-A : Cr CrMo2Si			
300 mm 15 kg	Ø 0.8	086258	
UHSS			
Norms : AWS ASME SFA-5.28 : ER 120 S-G ; EN ISO 12534 : G Mn4Ni2, 5CrMo			
200 mm 5 kg	Ø 0.8	086203	
Hardfacing - Rechargement Acier 60 HRC			
Norms : EN 14700 : TZ Fe 2 ; DIN 8555 : MSG 6-CF-60			
300 mm 15 kg	Ø 1.2 ECO	088481	
300 mm 16 kg	Ø 1.2 ECO	086173	


Cored wire - Fil fourré - Fülldraht - Hilo tubular			
Norms : AWS 5.20 : E71T-GS ; EN ISO 17632-A T42 Z W N 1 H15			
100 mm 0.9 kg	Ø 0.6	086425	
	Ø 0.9	086104	
200 mm 4.5 kg	Ø 0.9	086265	
	Ø 1.0	086623	
	Ø 1.2	086630	
300 mm 15 kg	Ø 1.0	086388	
	Ø 1.2	086395	

Galva (G2Ti)			
Norms : AWS 5.18 : ER 70S-2 ; EN ISO 14341-A : G42 2 M G2Ti ; DIN 8559 : SG2			
200 mm 5 kg	Ø 0.6	086760	
	Ø 0.8	086777	

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter



AlMg2.7Mn			
Norms : AWS 5.10 : ER 5554 ; EN ISO 18273 : S Al 5554 ; DIN 1732 : SG-AlMg			
200 mm 2 kg	Ø 1.2	086517	
300 mm 7 kg	Ø 1.2	086500	





PLASMA CUTTING

EASycut K	95
EASycut	96
CUTTER	97



EASycut K

PLASMA

COMPRESSOR INSIDE • 1~

Plasma torch
TPT 25, 4m
068087


Plasma torch
TPT 35, 4m
080775



■ ■ EASycut K25

230 V • 1 ~ 25 A Fe 8 mm
Al/CrNi 6 mm

P400 COMPRESSOR




TPT 25, 4 m 068087 2 m, 10 mm²
068063



COMPRESSOR

COMPRESSOR
INSIDE



Youtube

ULTRA
LIGHT &
COMPACT



INTEGRATED
AIR FILTER
+
AUTOMATIC
DRAIN


PFC
EN 61000-3-12
POWER FACTOR
CORRECTION



■ ■ EASycut K35 PFC

230 V • 1 ~ 35 A Fe 15 mm
Al/CrNi 10 mm

P400 PFC AD COMPRESSOR





TPT35, 4 m 080775 2 m, 10 mm²
080768



TPT35, 4 m 2 m, 10 mm² Box TPT35 080782 UNIVERSAL 800 051331
080805

OPTIONS

Consummables

					Boxes - Coffrets
	x4 040236	x10 040212	x2 040175	x10 040168	039971
 for TPT25	x1	x1	x1	x1	
	x4 040182	x10 080799	x2 040175	x10 040168	080782
 for TPT35	x1	x1	x1	x1	

Compas
040205




x1
040199
R max = 670 mm



PLASMA 600
040298
↓ 39 x 58 x 62 cm / 8.2 kg
⊗ 63 x 30 x 11 cm / 8.8 kg



Universal 800
051331
↓ 48 x 62 x 81 cm / 17.6 kg
⊗ 81 x 52 x 15 cm / 18.1 kg

 MADE IN FRANCE CE NORM EN60974-1			I ₂	 mm						INTEGRATED TECHNOLOGY					AIR SYSTEM			EN 60974-1 (40°C)				 Protected & compatible power generator (+/-15 %)
				Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing														
				Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	AD	IP23	COMPRESSOR	min	ideal	max	I 60%	% I2 max	100%		
EASYCUT K25	230 V 1~	16	10 → 25	8	6	6	4	4	2	■	—	—	—	■	included	15 A	35%	—	53 x 31 x 48 / 19	6.5 kW	7.5 kVA	
EASYCUT K35 PFC	230 V 1~	16	10 → 35	15	10	10	8	6	5	■	■	■	■	■	included	26 A	30%	—	45 x 26 x 36 / 27	8 kW	10 kVA	



EASycut / CUTTER

PLASMA


1~





Plasma torch
TPT 25, 4m
068087

Plasma torch
TPT 35, 4m
080775

Plasma torch
TPT 40, 4m
060753




AD
ANTI-DUST
VENTILATION
CORRIDOR



CNC COMPUTER NUMERICAL
CONTROL



DIGITAL
(PRESSURE SENSOR)




POWER FACTOR CORRECTION
PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE



IDEAL
CARBODY REPAIR



DIGITAL
(PRESSURE SENSOR)



POWER FACTOR CORRECTION
PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE

DIGITAL
(PRESSURE SENSOR)



Youtube




EASycut 25

230 V • 1 ~

25 A

Fe 8 mm
Al/CrNi 6 mm



TPT 25, 4 m 068087 2 m, 10 mm²

065543



EASycut 30 FV

110 → 230 V • 1 ~

30 A

Fe 15 mm
Al/CrNi 10 mm



TPT 40, 4 m 060753 2 m, 10 mm²

013858




EASycut 40

230 V • 1 ~

40 A

Fe 18 mm
Al/CrNi 15 mm



TPT 40, 4 m 060753 2 m, 10 mm²

029743




P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC

CUTTER 45 CT 16

110 → 230 V • 1 ~

45 A

Fe 30 mm - Al/CrNi 20 mm



TPT 40, 4 m 060753 2 m, 10 mm²


013629

CUTTER 45 CT 32

110 → 230 V • 1 ~

45 A

Fe 30 mm - Al/CrNi 20 mm



TPT 40, 4 m 060753 2 m, 10 mm²

088399



included

088382

088399

088382

088399

088382

088399

088382

088399

088382

088399

088382

088399

088382

088399

088382

088399

088382

088399

088382

088399



97

EASycut / CUTTER

PLASMA CUTTING

OPTIONS

COMPAS
for TPT 40, TPT 25, TPT 35,
MT 25K / MT 35K
x1
040199



040205

R max = 670 mm

Consumables

	MT25K	TPT25	MT35K	TPT35	TPT40
	x4 040182	x1 040182	x1 040229	x1 040182	x1 040236
	x10 040151	x3 040212	x3 040212	x3 080799	x3 040212
	x2 040175	x1 040175	x1 040175	x1 040175	x1 040175
	x10 040168	x3 040168	x3 040168	x3 040168	x3 040168
Boxes - Coffrets	039971	070721	039964	080782	039957

Trolley - Chariot



PLASMA 600
040298
↳ 39 x 58 x 62 cm
/ 8.2 kg

Universal 800
051331
↳ 48 x 62 x 81 cm
/ 17.6 kg

Jobsite XL
039568
↳ 60 x 59 x 115 cm
/ 18.4 kg

Compressed air cleaning
filter for Plasma Cutter 40
- Filtre déshumificateur
spécial Plasma
039728



Filter
cartridge
- Cartouche
pour filtre
039735

				I ₂	 mm						INTEGRATED TECHNOLOGY							AIR SYSTEM			EN 60974-1 (40°C)				 Protected & compatible power generator (+/-15%)	
					Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing																	
					50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	FV	GRID CUT	AD	IP23	CNC	min	ideal	max			I 60%
MADE IN GYS CHINA	EASYCUT 25	230 V 1~	16	10+25	8	6	6	4	4	3	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—	
 MADE IN FRANCE	EASYCUT 30FV	230 V 1~ 110 V 1~	16 32	10+30 10+30	15	10	10	8	6	5	■	■	■	—	—	—	2.5 bar	5 bar 115 L/min	9 bar	23 A 19 A	30% 25%	20 A 15 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA	
MADE IN GYS CHINA	EASYCUT 40	230 V 1~	16	10+40	20	15	15	10	8	6	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—	
 MADE IN FRANCE	CUTTER 45CT	TPT 40	230 V 1~ 110 V 1~	16 32	15+45 15+30	20 15	15 10	10 8	8 —	6 —	■	■	■	■	■	■	analogic	5 bar	5.2 bar 115 L/min	7 bar	41 A 21 A	50% 25%	32 A 17 A	014787 - 51 x 32 x 46 / 14.9 013629 - 51 x 31 x 47 / 16.4	10.5 kW	8 kVA
		MT 45	230 V 1~ 110 V 1~	32 32	15+45 15+30	30 15	20 10	25 10	15 8	12 —								—	—	41 A 21 A	50% 25%	41 A 21 A	088382 - NC 088399 - 51 x 31 x 46 / 17.5			
		MT 70	230 V 1~ 110 V 1~	32 32	15+45 15+30	30 15	20 10	25 10	15 8	12 —								—	—	41 A 21 A	50% 25%	32 A 17 A		—		

96




INDUCTION HEATING

2.4→3.7 kW



POWER FACTOR CORRECTION

185 V ← 265 V



CONSUMABLES

for

for

for



READY TO USE
Liquid included

NEW
06/2026

	37 LG + S90 056992	Cooling liquid 2 L 062212	S180/B3W 067899	S70/S90 088290	Plastic Wedges (x3) 051294	Trolley UNIVERSAL 800 051331	Cable hanger 052284
MRA 1 089037	✓	✓	✓	✓	✓	—	—
MRA 2 089044	✓	✓	✓	✓	✓	✓	✓



2 400 W



Packs with generator
GYSDUCTION AUTO

PROLINER AUTO	048775
COMPLETE AUTO	053380
COMPLETE AUTO 120V	084889
COMPLETE AUTO +	056978
MECA AUTO	048812
MECA AUTO +	056961
BODY SHOP AUTO	048799
GLASS AUTO	048805
DENT REPAIR AUTO	054981

Bolt Inductor 053366	Remote control 055490	Car body Inductor 053359	Glass inductor 053373	Plastic wedges 051294	Dent pulling Inductor 054776	Spiral inductor 054783	Universal 800 051331	Cable support 052284
			✓			✓		
			✓	1 box				
			✓	1 box				
		✓			✓	1 box		
		✓			✓	1 box		
		✓				✓	1 box	
				✓			1 box	
				✓			1 box	
				✓			1 box	

3 700 W

POWERDUCTION 37LG

230 V • 1 ~



056992

072510
080959



083387

083394

POWERDUCTION 37LG 208-240V

208-240 V • 1



084865

COMING
SOON

POWERDUCTION 37LG PRO

230 V • 1 ~



088917

091214

				Freq.	Tech.		Liquid Cooling	Cable L (m)	Heating					
GYSDUCTION AUTO	230 V, 1~ 50/60 Hz	16 mini	2400	35→100	■	—	—	2 2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	3 kW	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9
GYSDUCTION AUTO 120V 	120-240 V, 1~ 50/60 Hz	20 mini	2400	35→100	■	—	—	2 2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	3 kW	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9

 MADE IN FRANCE				Freq.		Liquid Cooling	Cable L (m)	 Heating			 Protected & compatible power generator (+/-15%)	 L × W × H cm / kg	 L × W × H cm / kg	
		A	W	kHz	Tank capacity	Liquid included	 Inductor							
POWERDUCTION 37LG	230V, 1~ 50/60 Hz	16 mini	3 700	15→30	■ 1,5 l	—	4	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	56 × 26 × 29 / 13	60 × 34 × 33 / 14.5
	208-240 V, 1~ 50/60 Hz	20 mini												
POWERDUCTION 37LG PRO	230V, 1~ 50/60 Hz	16 mini	3 700	15→30	■ 1,5 l	1 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	46 × 34 × 78 / 29	75 × 28.5 × 52 / 32

INDUCTION HEATING

3.7→5.2 kW



3 700 W

POWERDUCTION 38LG

230V • 1 ~



S90 058927
088474
090743



POWERDUCTION 39LG

230V • 1 ~





C20/B1 056862
058583



285 064485
080027

S90 058927



5 200 W

POWERDUCTION 49LG

230V • 1 ~



C20/B1 056862
088498



POWERDUCTION 50LG

230V • 1 ~



C20/B1 056862
055599

 MADE IN FRANCE				Freq.	Tech.			Cable L (m)		Heating					
		A	W			Tank capacity	Liquid included	Inductor							
POWERDUCTION 38LG	230V, 1~ 50/60 Hz	16 mini	3700	15+30	—	71	51	2	3	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	46 × 36 × 70 / ND	81 × 38 × 59 / ND	4 kW
POWERDUCTION 39LG	230V, 1~ 50/60 Hz	16 mini	3700	20+60	■	71	51	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	46 × 36 × 70 / 46.5	81 × 38 × 59 / 52.5	4 kW

 MADE IN FRANCE				Freq.	Tech.			Cable L (m)		Heating					
		A	W			Tank capacity	Liquid included	Inductor							
POWERDUCTION 49LG	230V, 1~ 50/60 Hz	16 mini	5200	20+60	■	71	51	2	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 × 36 × 70 / 46.5	81 × 38 × 59 / 52.5	6 kW
POWERDUCTION 50LG	230V, 1~ 50/60 Hz	25 mini	5200	20+60	■	71	51	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 × 43 × 75 / 58	80 × 60 × 60 / 71	6 kW



COMBIDUCTION AUTO 50 LG

INDUCTION HEATING

5.2 kW



5 200 W


COMBIDUCTION AUTO 50LG

PFC 230V • 1 ~



COMBIDUCTION AUTO 50LG 208-240V

PFC 208-240V • 1 ~



2 in 1

50LG

+

AUTO



OPTIONS

Spiral inductor
- Inducteur spirale
- Spiralinduktor



1.2 kW

5 inductors
054783



800 mm
054813



800 mm
054868

SIDE			
Ø 18 mm	≤ M8	054806	
Ø 24 mm	≤ M12	054790	
Ø 30 mm	≤ M16	055469	

PDR : Paintless Dent Repair - Débosselage sans peinture - Lackschadenfreies Ausbeulen

054776

Licensed by
BETAG innovation




3 m




INDUCTOR PROGRAM

ADAPTERS / ADAPTATEURS

Powerduction 37, 37 PRO & 38LG




Powerduction 39, 49, 50LG & Combiduction 50LG




STANDARD

Small inductors



33 X 20 mm			36 X 27 mm		31 X 22 mm	Ø 19 mm
S90 (90°) 058927	S70 (70°) 061569	S180 (180°) 059269	S20/B1 (20°) 064874	S180/B1 (180°) 064881	S180/B3W (180°) 067899	S180/B6 (180°) 087002



Ø 20	S20/D20	078796	S90/D20	078871	S180/D20	069985
Ø 25	S20/D25	078802	S90/D25	078888	S180/D25	069992
Ø 30	S20/D30	078819	S90/D30	078895	S180/D30	070592
Ø 35	S20/D35	078826	S90/D35	078901	S180/D35	070608

Difficult Access
Adapters 90°-S
082663



✓ S180/B1
✓ S180/B3W
✓ S180/B6

Protection kit for loop inductors
- Kit de protection pour inducteurs boucle
077386



CONSUMABLES



OPTIONS



INDUCTION HEATING • 1 ~

105





TRUCK TOOLS & MOBILE LIFTS

TRUCK TOOLS

TROLLEY IW1	107
MULTITOOL TRUCK	107

CAR LIFTS

SPOT LIFT	108
AIR JACKS	109
ERGO LIFT	110
MANUAL DOOR LIFT / WHEEL LIFT	112



TROLLEY IW1 / MULTITOOL TRUCK

TRUCK TOOLS

TROLLEY IW1
Impact wrench trolley -
Support de clé à choc

max 6.5 bar

max 20 kg

063136




Youtube

OPTIONS



Huile hydraulique
- Hydraulic oil
1l
053397

**Weight, vibrations
& torque suppression -**
Suppression du poids,
des vibrations et du couple



Impact wrench -
Clé à choc
max 20 kg

Fixation
36 x 36 mm
→ 44 x 44 mm

Weight adjust
- Effort réglable

High maneuverability & stability -
Grande maniabilité et stabilité



High dexterity -
Liberté de
mouvement



MULTITOOL TRUCK

SAFE EN 14238 + A1

max 200 kg

067158

INCLUDED




Lifting tool for brake caliper
- Outil de levage pour étrier
de frein - Hebewerkzeug für
Bremsattel



Brake caliper



Lifting tool for battery -
Outil de levage pour batterie
- Hebewerkzeug für Batterie



Truck batteries




Lifting tool for wheels -
Outil de levage pour roues
- Hebewerkzeug für Räder




SAFE
EN 14238 + A1

**ULTRA
COMPACT**
103 cm



HEALTH CARE





SPOT LIFT

MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar


SAFE EN 1494

max 2.2 t




064843

HEALTH CARE



High stability - Haute stabilité




Included
220 bar
053588



SAFE
EN 1494

SECURITY




OPTIONS

Hydraulic oil 1L
- Huile hydraulique
1L
053397



Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236



Youtube

SPOT LIFT PRO


max Air 8 bar

SAFE EN 1494

max 2.2 t



053557



OPTION




Youtube



SAFE
EN 1494

60 cm (max)
14 cm (min)



OPTIONS

Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW



Pads - Patins
for Audi & BMW
(x 2)
053717





AUTO ROLL

AUTO ROLL 1.0 m / 1.2 t
059047



AUTO ROLL 1.55 m / 1.2 t
063839



min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)

1.0 m (AUTOROLL 1.0m)
1.55 m (AUTOROLL 1.55m) > ideal straightening
table - idéal table de redressage

Included
059054




Option
059061




WHEEL TROLLEYS - Tabourets de manutention - Radhocker

048768



MECHANICAL LIFTING JACKS - Chariots de manutention prise sous roue - Kfz-Montagelift, fahrbar

071995



Made in China

AIR JACKS


DOUBLE BAG AIR JACK
082878

Pressure : 8 bar (116 PSI)
Weight 12 kg




SAFE
EN 1494

12 kg
LIGHT & COMPACT




TRIPLE BAG AIR JACK
082885

Pressure : 8 bar (116 PSI)
Weight 14 kg



SAFE
EN 1494

14 kg
LIGHT & COMPACT



SPOT LIFT

MOBILE LIFTS

109

GYS



ERGO LIFT



Youtube

Easy manoeuvring




Maximum comfort



100% Security



Hydraulic Safety



Super compact

Ergo lift 1000 Roll : 395 kg Ergo lift 2000 Roll : 420 kg




Maintenance free

Air 7-8 bars



Pump 082977

Easy connection



Ergo lift 1000 Roll



Without knee joint - Sans genouillère

400 kg



0 cm



Ramps essential for vehicles with very low ground clearance - Rampes indispensables pour les véhicules avec garde au sol très basse

Lifting capacity



MAX
2.5 T

Lifting height



0.95 m

Ergo lift 2000 Roll



With knee joint - Avec genouillère

2600 kg



0 cm



Not necessary - Pas nécessaire




MAX
2.6 T



1 m


OPTIONS 1000 ROLL

Ramps x2 - Rampes x2
700 x 200 x 80 mm
056787



Capacity : max 2 t

Ergo Lift ramps x2
- Rampes Ergo Lift x2
082717



Capacity : max 3.5 t



OPTIONS 1000 & 2000 ROLL

Pads for SUV x4
- Patins pour SUV x4
065017




Lifting pads x4
- Patins pour levage x4
088511



Wheel kit
- Kit roues
076778



Pump support
- Support pompe
088047



ERGO LIFT 1000 ROLL

without pump - sans pompe
067950

SAFE
EN 1493



2.5 T

0.95 m



Pack ERGO LIFT 1000 ROLL + wheels

076792



ERGO LIFT 1000 ROLL



Pump



Wheel kit

Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984



ERGO LIFT 1000 ROLL



Pump



Wheel kit
Ramps 160mm

ERGO LIFT 2000 ROLL

without pump - sans pompe
087460



NEW

SAFE
EN 1493



2.6 T

1 m



Pack ERGO LIFT 2000 ROLL + wheels + pump support

089051




ERGO LIFT 2000 ROLL



Wheel kit



Pump




Pump support

ERGO DOOR LIFT

Ergonomic door handling trolley
- Support Pro ergonomique de manutention de portière
- Ergonomische Türhandhabungsunterstützung
082670



117 x 28 x 27 cm
40 kg



Option

Wide door accessory
- Accessoire pour portière large
- breites Türzubehör
082700




MANUAL WHEEL LIFT

Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385



min: R13 / 135 / 65
max: R22 / 300 / 35
kg 40 kg max




ACCESSORIES

WELDING HELMETS	114
FUME EXTRACTION	117
WINDSCREEN REPAIR	118
BUMPER REPAIR	120
HAND TOOLS	122
PNEUMATIC TOOLS	126
WORKING LIGHTS	128
SANDING & DUST EXTRACTION	130
WORKING SUPPORTS	132
SAFETY PROTECTION	137
ELECTRIC VEHICLES	138

HELMETS
TECHNOLOGIES

Initial shade - Teinte initiale



Spectrum view - Spectre de couleur



Classification

EN379	NEW ISO 16321-2	Quality
1/1/1/1	V1	★★★★★ Perfect
1/1/1/2	V2	★★★★ High performance
others	V3	★★★

Headgear - Serre-tête



OPTIONS



Carry bag
for helmet welding
- Sac pour masque
de soudage
043299



066656




Antiperspirant-headband
- Bandeau anti-transpiration
043466
for Multi Premium, Multi
Premium Pro, Multi, Simple
x1
062627
for Multi Pro
x2
070844
for Gysmatic 9/13 Air,
Gysmatic 5/13 Air XXL




Magnifying glass - Loupe
for Zeus, Ergotech & Alien
True Color
x1
zoom x2
178 x 120 (x5)
zoom x3
064140

LENSES
- Verres
- Schutzgläser



			
114 x 133 (x10)	043893	104 x 96 (x5)	043596
114 x 133 (x10)	043893	106 x 89,5 (x10)	046825
168 x 115 (x5)	089655	120,9 x 86,5 (x10)	089716
Grind protection 178 x 120 (x5)	089730	Side screen x3	089792
226 x 106 (x5)	045781	103,5 x 54,5 (x5)	077621
114 x 133 (x10)	043893	103,7 x 69,5 (x5)	077102
390 x 150 (x3)	037311	special kit (x1)	037304

PANORAMIC




APOLLO + 3/5-13 G
068681

		
100 × 67 mm	0.08 ms	
PANORAMIC	1/1/1/1	ULTRA CLEAR 3
		TRUECOLOR



Multi Premium



PANORAMIC 3XL
037281

		
114 × 85 mm	0.04 ms	
PANORAMIC	1/1/1/1	ULTRA CLEAR 3
		TRUECOLOR



Multi Premium





HERMES 3/4-14 G
089686

		
116 × 81 mm	0.04 ms	
DIGITAL	class V1	ULTRA CLEAR 3
		TRUECOLOR



Multi Premium



NEW
04/2026



GYSMATIC 5-13 G XXL
037236

		
100 × 83 mm	0.04 ms	
DIGITAL	1/1/1/1	CLEAR 4
		TRUECOLOR



Multi Pro



GYSMATIC 2.0 CL
083141

		
100 × 50 mm	0.08 ms	
PERFECT VISION 2		TRUECOLOR
		TRUECOLOR



Multi Premium

PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare-brise
- Frontscheiben-Trennsystem für Akkuschrauberbetrieb

057654

MADE IN
HIGH
QUALITY
GERMANY

included
Axe enrouleur
068100

included
65 m
resistance 285 kg, Ø 1.18 mm
088986



OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL - Couteau pneumatique de découpe pare-brise
- Druckluft-Trennmesser für Windschutzscheiben

057623



REMOVAL TOOL FOR WINDSCREEN WIPER ARMS - Extracteur d'essuie-glace - Wischerarm-Abzieher

UNIVERSEL
057630



EXPERT

Accès difficile
- Difficult access
057647



SUCTION LIFTING PADS - Ventouses - Saugnapfwerkzeug für Spiegelgläser

056695



051966




x 6
057609




WINDSHIELD CUTTING KIT - Système de découpe pare-brise à cliquet
- Set zum Lösen von Windschutzscheiben

054738



DASHBOARD PROTECTOR - Protections tableau de bord
- Armaturenbrett Schutz

053120



WINDSHIELD CUTTING TOOL - Outil découpe pare-brise
- Windschutzscheiben Demontage-Set

051935




WINDSCREEN JOINT-CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set

051898



051911



051881

COMPRESSED AIR POLISHER - Renov'Polycarbonate - Druckluftpolierer

Complete pack

1 orbital sander
+ 1 polisher
- 1 ponceuse orbitale
+ 1 lustreuse

052086



2 SPEED

+



+



+



+

+

+

sander Ø75
057494

polisher Ø75
058224

Ø 76

P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)



P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048

HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare-chocs - Stoßstangen Reparatur Kit

052925



INCLUDED :
x20 x20 x20 x20 x20

MADE IN TAIWAN

PORTABLE: Battery operated
090569

Li-ion battery 3.65V
Input: DC 5V, 2A
Output: 3.65V, 8A MAX
Battery: 3.65V, 4000 mAh
Capacity of 400 staples
↳ 5.9 x 3.6 x 25.5 cm / 275 g
↳ included USB-A -/USB-C cable
Made in China


NEW
04/2026



Adjustable

INCLUDED :
Ø 0.6, x50 Ø 0.8, x50
Ø 0.8, x50 Ø 0.8, x50

Staples - Agrafes



 V Inside corner - Angle interne étroit Ø 0.7 mm	 U Crack alignment - Alignement de fissure Ø 0.7 mm	 N Large crack - Fissure importante Ø 0.7 mm	 W Internal angle - Angle interne Ø 0.7 mm	 M External angle - Angle externe Ø 0.7 mm
 x 100 047990	 x 100 047983	 x 100 047976	 x 100 047969	 x 100 047952

052413 = x 50 + x 50 + x 50 + x 50 + x 50


Option
15 W USB-C Charger
087101

PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger



included Ø 10 mm

Box 10 diameters
059139

Box 16 diameters
085824

Freezer spray
- Spray refroidisseur
-50 °C
400 ml
(x 12)
048898



TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs



076518

x15
076525

HAND SEAMER FOR PLASTIC REPAIR - Pince de serrage pour réparation des plastiques

082014



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset




320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
▲ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

Station seule
- Station only
064072

Ø 5 mm
066694

Ø 8 mm
066700

QR code
Youtube

	plastic rods - baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
			■ 6 mm	x 10	067622
			■ 8 mm	x 10	066298
			▲ 4 mm	x 10	071322
	ABS		■ 8 mm	x 10	071339
			▲ 4 mm	x 10	087873
	TPO		■ 8 mm	x 10	087880

	Station	PP/EPDM			Pressure wheels	Mini milling machine	Scraper
		4mm (x10)	6mm (x10)	8mm (x10)			
064072	✓						
070974		✓					


Scrapers - Grattoir
068032

Pressure wheels
- Roulette de
compression
058231

Tungsten drill
Ø 5 mm
included
063235

Mini milling machine
- Mini fraiseuse
063228

WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/min
▲ 1.3 kg / ↳ Ø100 x 300mm,
poignée Ø 56mm.

057678

3m

20mm

Options

TIP Ø5
061262

TIP insert Ø5
061279

x10
052956

x1
25 x 12.5 cm
052949

MULTI-CLIP PLIER - Pince multi-clip

083813



DURABLE
HIGH-CARBON
STEEL

Cut + Grip

BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set

052932



MADE IN BELGIUM

x10
052956

25 x 12.5 cm
x2
052949

057258

052963

WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

± 64 kg
Capacity 320 kg



4 Keys -
4 Clés

Complete carbody workstation
080119



Workstation only
076143

included



HAND CHISEL FOR CAR BODY

- Burins
- Meißel für Karosserie

057586




057593



SET OF 3 SCRAPING KNIVES


- Couteaux racloirs

061439




SET OF 4 NYLON CHISELS - Jeu de 4 burins en nylon - 4 Kunststoffmeißel

054745



SET OF 3 CHISELS - Lot de 3 burins de
séparation éléments collés - 3 Meißel

076754



SET OF 30 TOOLS FOR SCRAPING/SANDING AND
PAINT REMOVAL - Outils de dégarnissage et raclage - Polster &
Schaber Kit

057616



HAND TOOLS - Ausbeulwerkzeug

• FULL PACK =
061637



+ • MEDIUM PACK
051133



PLANISHING HAMMER
BLACKTEC®

077270

Rubberised gripping
- Manche en caoutchouc



ALU HAMMERS
- Marteaux alu

020986



PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS +4
DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit




SET OF 3 ALU HAMMERS + 4 ALU DOLLIES - Kit marteaux alu et tas alu
- Karosseriehammer & Handfaust Kit



FORMING TOOLS - Outils de forme -
Formgebungswerkzeuge

051195




BODYWORK BUMPING Mallet - Maillet souple caoutchouc
- Karosserie-Schlaghammer

083479




CONTOUR GAUGES - Jauges de profil - Konturenlehre

052840




057265



DOOR HINGE STRAIGHTENER - Redresseur de charnière de porte - Türgelenkausrichter

051102




GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre

x2
054752



FENDER ROLLER TOOL SET - Outil de remise en forme passage de roue - Kotflügelrollen-Werkzeugsatz

060791



LIP PLIER - Pince à lèvres - Falz zange gebogen

079649



SET OF PLIER + 10 STAPLES

- Coffret pinces à agrafes

082175



0 - 2.5 mm (x10)
082182

2.5 - 5 mm (x 10)
082199

POSITIONING CLAMP - Pinces de maintien bord à bord - I-Stoß-Lehre

043190
(x4)



TEMPORARY-FASTENERS MANUAL MOUNTING - Serre-tôles

(x10)
Ø 2,4 mm
069664

(x10)
Ø 4,0 mm
069671



(x10)
Ø 4,8 mm
069688

(x10)
Ø 6,4 mm
069695

MICRO-GRIP CLAMPS

- Pinces micro-grip


061330
(x4)



MICRO-WELDING CLAMPS

- Micro-brides de soudage


079373
(x4)



FLAT NOSE LOCK-GRIP PLIERS


- Pinces étai à bec plat

062719



AXIAL-GRIP PLIERS - Pinces axiales

050242



LOCK-GRIP PLIERS - Pinces étai mono serrage

280 mm
061378



610 mm
061354



460 mm
061361



Flat noze - 610 mm
061347



MULTI-CLIP PLIER - Pince multi-clip

083813




BURR REMOVER - Outil d'ébavurage - Gratentferner

079854




BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten


078758



Flat noze - 460 mm
050112



KIT:
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829



Speed adjustment

Ø 75 mm

Included (x1)	Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
052468	18000	200	83	171	6.2	12	0.7

058248



x2 Ø 50 & 75 mm


Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	84	91	6.2	10	0.6

MINI-FLEXIDISC LAMELLES ZIRCON Ø 50 mm

- K 40 (x10) 058255
- K 60 (x10) 058262
- K 80 (x10) 058279

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

060906



520 mm

20


360°

Grain 60 (x 5)	060913
Grain 80 (x 5)	060920
Grain 100 (x 5)	060937
Grain 36 céramique (x 5)	062535

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16 000	171	6.3	34	1.2

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

052819



360°

330 mm

10 mm

Grain 80 (x 10)	052833
Grain 36 céramique (x 20)	062528

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16000	171	6.3	26	0.9

MINI ANGLE MILLING MACHINE - Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836



90°

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	500	81	85	6.2	18	0.7

LONG HANDLED ANGLE GRINDER - Meuleuse d'angle - Druckluft-Winkelschleifer

057753



Ø 100 mm

± 1.6 mm, x5 057883

± 0.8 mm, x5 058217

Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867



Ø 50 mm

90°

(x1) 052772

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	200	86	85	6.2	18	0.75

SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile

051805



(x5) 052789

included 058750

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
5000	—	85	255	6.2	10	0.8

AUTOMATIC MANDREL DRILL - Perceuse mandrin automatique - Druckluftbohrmaschine m. Schnellspannfutter

051799



Ø 13

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	300	92	170	6.2	18	0.9

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775



Roue gomme 115 x 14 mm 051874

Roue à découper 115 x 14 mm 051843

Adaptateur pour brosse 051768

Brosse souple Brins droits 0.5 mm 103 x 23 mm 052598


Brosse dure Brins incurvés 0.7 mm 103 x 23 mm 051812

Brosse souple Brins incurvés 0.5 mm 103 x 23 mm 051850

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
4000	500	86	102	6.2	280	1.2

PNEUMATIC FLANGE / PUNCHING TOOL - Pince à soyer et à trouser, pneumatique - Pneumatische Loch- und Absatzzange

079892



Ø 8 mm

0,8 > 1,2 mm

052543



Ø 5 mm

0,8 > 1,2 mm

2 in 1

Punching tool for oval holes - Outil de poinçonnage oblongs - Langlochkarosserieblechzange

2.2 kg



6 mm 20 mm 052437

8 mm 20 mm 067264

LASER CORD METAL SHEET CUTTER (NIBBLER) - Dépointeuse pour cordon laser ACIER - Trennwerkzeug für Lasernähte

054165




Ø 6 mm

STEEL Included 054172

MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer


063228



Option Tungsten drill Ø 6 mm 054172

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL 050464



360°

Ø 8

Included : Tungsten Carbide Ø 8 for BORON/UHSS (x1)

HIGH QUALITY

Spot remover drill - Forets de dépointage - Schweißpunktfräse Tungsten Carbide for BORON/UHSS

3-edge	Ø 8 mm 053069	Ø 9 mm 069763	Ø 10 mm 053076
4-edge Efficiency ++ Durability ++	Ø 8 mm 059849	Ø 9 mm 069770	

PACK SPOT DRILL + 140 mm 061460



3-edge Ø 8 mm 053069

140 mm 061453

INSPECTION LAMP - Lampe inspection - Inspektionslampen

FRONTAL INSPECTION LAMP 280 L
100-280 lumens

3 W COB LED
80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
operating time
High position : 2 h
Low position : 6 h
IP 65 / $\downarrow$ 7.8 x 4.7 x 4.2 cm
 $\boxtimes$ 40 x 8.8 x 5.5 cm / $\blacktriangle$ 200 g
060845

motion detection mode

HANDS-FREE TORCH 360 L
180-360 lumens

3.7 V - 2200 mAh Li-ion
Charging time: 3.5 h
operating time
High position : 3 h
Low position : 6 h
 $\downarrow$ 26 x 15.9 x 2.5 cm
 $\boxtimes$ 3.5 x 30 x 16 cm
088559

PORTABLE LAMP 400 L
400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h
 $\downarrow$ 23 x 6.5 x 4 cm / $\blacktriangle$ 480 g
 $\boxtimes$ 13 x 7 x 23.5 cm
059153

INSPECTION LAMP MINI 350 L
0-350 lumens

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)
operating time
3 > 6.5 h
IP 20
075894

INSPECTION LAMP PRO 800 L
120-800 lumens

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)
operating time
2.5 > 9 h
IP 54
075900

UNDER BONNET LAMP - Lampe sous capot - Leuchte für Motorhaube

UNDER BONNET LAMP 600 L
500-1000 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h
operating time
High position : 4 h
Low position : 8 h
 $\downarrow$ 26 x 10 x 10 cm
 $\blacktriangle$ 2.3 kg
 $\boxtimes$ 23.5 x 12 x 69.5 cm
059962

UNDER BONNET LAMP 800 L
250-800 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h
operating time
High position : 3 h
Low position : 6 h
 $\blacktriangle$ 2 kg
 $\boxtimes$ 60.7 x 15 x 11.3 cm
058002

WORKLIGHT WITH TRIPOD - Projecteur sur trépied - Arbeitsleuchte mit Standfuß


TRIPOD LAMP 3000 L
3000 lumens

35 W COB LED
2 m power cord
IP 44
 $\blacktriangle$ 4.1 kg
 $\boxtimes$ 103 x 21.5 x 10 cm
059979

TRIPOD LAMP 4000 L
4000 lumens

3x 20 COB LED, total 60 LED
3 m power cord
 $\blacktriangle$ 6.4 kg
 $\boxtimes$ 22 x 16 x 116 cm
059986

DETAILING & COLOUR MATCH - Contrôle des couleurs - Fabnpassung & Aufbereitung



5 COLORS
2700 - 3500 - 4500 - 5500 - 6500 K

500-1000-2000 lumens

SUNCOLOR 5
COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
 $\downarrow$ 7 x 23 x 20 cm / 1.2 kg
 $\boxtimes$ 9 x 25 x 24 cm / 1.9 kg
060876

5 COLORS
2500-3500-4500-5500-6500 K

50-200-500 lumens

SUNMATCH 4
COB LED, 96 CRI+, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time
High position : 2 h, Low position : 4 h
IP 65
 $\downarrow$ 4 x 6 x 19 cm / 0.3 kg
 $\boxtimes$ 8 x 9 x 21 cm / 0.5 kg
061651

ACCESSORIES & SANDING

FILM COATING THICKNESS GAUGE - Détecteur épaisseur de peinture

059856

Measurement range : 0 - 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm

4 MAGNETIC PANEL EDGE PROTECTIONS - 4 protections magnétiques de ponçage pour bord de panneau

082793

55.5 cm

ELECTRIC SANDER & POLISHER - Ponçeuse /polisseuse électrique - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
 $\downarrow$ 27 x 15 x 10 cm / 1.5 kg
 $\boxtimes$ 37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/min
Drum capacity : 30 L
Drum material : stainless steel
 $\downarrow$ 33 x 33 x 63 cm / 4.9 kg
 $\boxtimes$ 38 x 38 x 67 cm / 7.8 kg

Manual or automatic

**AUTOMATIC
START SYSTEM**



Start/stop synchronized with the sander
- Marche/arrêt synchronisé avec la ponceuse


**INNOVATIVE
SUCTION SYSTEM**



High suction
Low air consumption



**MAINTENANCE FREE
Unique auto clean system**



ATEX norm
Group II - Category 3
EN 60335-2-69:2012


- ✓ **ROBUST**
- ✓ **QUICK & SAFE**
- ✓ **LOW AIR CONSUMPTION** (5 bar)
- ✓ **NO ELECTRIC MOTOR**
- ✓ **ENERGY SAVING**
- ✓ **VACUUMING ALL SURFACES**
(Steel, aluminium, putty)

Depression 1300 mm H2O
Air flow 650 l/min
Air consumption 250 l/min


Adjustable sander pressure
- Pression ponceuse ajustable
6 bar max

GYSDUST EXTRACTOR PRO 1

1 SUCTION PORT




or




GYSDUST EXTRACTOR PRO 2


2 SUCTION PORTS




or




SELF-SEALING SUCTION



COMPACT



LARGE STORAGE



OPTIMIZED STORAGE



EASY ACCESS



Consumables

Sac à poussières - Filter bag
Capacity 5 kg

Included x1



x5
058880

Options

Pneumatic Sander
- Ponceuse pneumatique
MIRKA PROS 650CV



Ø 150 mm
071346


Pneumatic Sander
- Ponceuse pneumatique
Made in China



Ø 150 mm
087897

NEW

Soft foam interface pads
- Tampons interface mousse souple
for pneumatic sander



Ø150 mm, 16 holes/ trous
091429

NEW

Vacuum sanding block
- Cale à poncer aspirante



70 x 200 mm
089082

NEW

Flexible vacuum sanding block
- Cale à poncer aspirante flexible



70 x 400 mm
089099

GYSDUST PRO 1 EXTRACTOR

088528

↓ 49 x 48 x 88 cm / 26 kg
⊗ 81 x 40 x 49 cm / 28.6 kg

Sander not included
- Ponceuse non fournie

NEW
01/2026



4 m
Ø 29 mm

GYSDUST PRO 2 EXTRACTOR

088535

↓ 49 x 48 x 88 cm / 26 kg
⊗ 81 x 40 x 49 cm / 28.6 kg

Sander and back not included
- Ponceuse et cale non fournie

NEW



4 m
Ø 29 mm

AIR OUTPUT 1/4" GAZ
for compressed air coupler

Connector not included
- Raccord non inclus




Included
Earth clamp safety




GYSDUST EXTRACTOR PRO 2 091436	Pneumatic Sander Ø 150 mm 087897	Vacuum sanding block 089082	Flexible vacuum sanding block 089099	Filter bag x5 058880


ERGONOMIC PRO SUPPORT FOR PAINTING ELEMENTS - Support Pro ergonomique pour peinture d'éléments



ROTARY ELEMENT SUPPORT - Support élément rotatif
- Lackierständer für Stoßstange, einstellbar



WHEELS PAINTING SUPPORT - Support de peinture
pour 2 jantes - Lackträger für 2 Felgen




FRAMES SUPPORT - Tréteaux - Klappböcke




ROTARY ELEMENT SUPPORT
- Support pare-chocs - Lackierständer für Stoßstange, einstellbar



TELESCOPIC FRAMES SUPPORT - Tréteaux télescopiques - Teleskopböcke



SUSPENSION RACK FOR CAR BODY PANELS -
Portant pour suspension d'éléments de carrosserie



MASKING MACHINE

- Chariot de marouflage - Abdeckpapier-Ständer




MASKING MACHINE

- Diable de marouflage - Abdeckpapier-Ständer




MOBILE RACKS FOR CAR BODY REPAIR - Racks mobiles pour éléments de carrosserie - Mobile Regale für Karosserieteile



GRATE LIFTER TROLLEY - Diable pour grilles de cabine de peinture



ROUND STOOL WITH TOOL STORAGE - Tabouret - Werkstatt-Rollhocker




PLASTIC STOOL WITH TOOL STORAGE - Tabouret en plastique avec rangements - Kunststoffhocker



STORAGE TROLLEYS - Chariots de stockage - Lagerrollwagen



WALL STORAGE - Stockage mural - Wandspeicher



3-DRAWER WORKSHOP STOOL - Tabouret d'atelier 3 tiroirs - Werkstatthocker 3 Schubladen



FOLDING STEP STOOLS - Marche pieds (Aluminium) - Arbeitspodest klappbar



MECHANICS CREEPER WITH TILTING HEADREST - Chariot de visite - Werkstatt-Rollliege





UNIVERSAL SUPPORT - Chariot pour éléments de carrosserie - Universelle Ständer



FLAP LOCKS - Jeux de tiges de blocage




2 IN 1 MECHANICS CREEPER - Chariot de visite 2 en 1 - Werkstatt-Rollliege



WORKSTATION PREMIUM 5 DRAWERS

- Servante premium 5 tiroirs



PLASTIC TROLLEY 3 SHELVES

- Servante plastique 3 plateaux



WORKSTATION 3 SHELVES 1 DRAWER

- Servante d'atelier 3 plateaux 1 tiroir



HEAT COVER - Couverture anti-chaueur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



SET OF 2 MAGNETS

- Jeu de 2 aimants
 - Schweißmagnet



MAGNETIC COVER - Couverture magnétique - Magnetschutzdecke



RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand




RESPIRATORY MASKS - Masques respiratoires - Atemschutzmaske - Máscaras respiratorias



PROTECTION GOGGLES

- Lunettes de protection - Schutzbrillen



GLOVES - Gants - Handschuhe - Guantes



MULTI-USE LEATHER APRON

- Tablier cuir multi-usage
 - Delantal de cuero multi-uso
 - Mehrzweck-Lederschürze




- Table élévatrice mobile 1 tonne avec pompe hydropneumatique
- Mobiler 1-Tonnen-Hubtisch mit hydropneumatischer Pumpe


083912
Weight : 385 kg




 110 s
 30 s



1
max



085176



for
1T
Lifting Table



Équipements pour opérations sur véhicules électriques & hybrides
- Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen



7/8/10/12/14/16/17/19/21 mm sockets - Dowelles 7/8/10/12/14/16/17/19/21 mm	x 9
175 mm long universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cliquet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Flat spanner 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
PhH1x80/PhH2x100 mm Philips screw - Tournevis Philips PhH1x80/ PhH2x100 mm	x 2
Flat screwdriver 5,5x125 / 4x100 mm - Tournevis plats 5,5x125/4x100 mm	x 2



Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "Danger, working area EHV" - Pancarte de signalisation "Danger, zone de travail VEH"	x 2



	EN ISO 11611 Class 2-A1 & A2
	EN ISO 11612 A1+A2-B1- C1-E3-F1
	EN 1149-5
	IEC 61482-2 Class 1-4kA
	EN 14404 +A1 Type 2



98% cotton,
2% antistatic

S (40/42)
046368

M (44/46)
046375

L (48/50)
046382

XL (52/54)
046399

XXL (56/58)
046412



JACKET

- Veste -
- Jacket -

98% cotton, 2%
antistatic
S (40/42)
046313

M (44/46)
046320


L (48/50)
046337

XL (52/54)
046344



XXL (56/58)
046351

				
EN ISO 11611 Class 2-A1 & A2	EN 1149-5	EN ISO 11612 A1+A2-B1-C1-E3-F1	EN 14404 +A1 Type 2	IEC 61482-2 Class 1-4kA

ELECTRIC CARS MARKETING



PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211



Retail display space with 2 shelves
- Linéaire de vente avec 2 étagère
- Lochwandregal mit 2 Böden
060784



Banner
- Oriflamme
3 x 0,50 m
098015



Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039



INVEST IN THE FUTURE

COLLISION REPAIR

2026

GYS France

Headquarters

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France
Tel +33 2 43 01 23 60
E-mail service.client@gys.fr



ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

Logistics centre

2 Rue Jean Dausset
53810 Changé - France
Tel +33 2 43 01 54 33

GYS Germany

Professor-Wieler
Straße 11
52070 Aachen
Deutschland
Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom
Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS Italia


Via Porta Est, 7
30020 Marcon - VE
Italia
Tel +39 041 53 21 565
E-mail italia@gys.fr

GYS Ibérica

Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España
Tel +34 917 409 790
E-mail iberica@gys.fr

GYS China

Lot N°15 - 6666 bd Songze
201706 Qingpu
Shanghai - China
Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn



www.gys.fr



Distributed by

095106 • Document non contractuel. GYS se réserve le droit de modifier les spécifications et les tarifs de ses appareils, sans délai ni préavis, et en cas d'erreur typographique ou d'impression. • Non-contractual document. GYS reserves the right to modify the specifications and prices of its products without notice or delay, and in the event of typographical or printing errors. • Documento non contrattuale. GYS si riserva il diritto di modificare le specifiche e i prezzi dei suoi prodotti senza preavviso in caso di errori tipografici o di stampa. • Dieses Dokument ist nicht vertraglich bindend. GYS behält sich das Recht vor, Spezifikationen sowie Preise seiner Geräte jederzeit und ohne vorherige Ankündigung zu ändern. Dies gilt ebenso im Falle von Druck- oder Schreibfehlern. I.P. - 311 g • printed in January 2026